

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
0.41	Bridge E-1, 2nd Street/Peebles Isl. Road	16.63	25.59	25' 7.08"	22.00	20.22	20' 2.64"
0.57	Bridge E-2, 4th Street	16.63	25.37	25' 4.44"	22.00	20.00	20' 0"
0.60	Bridge E-2A, Catwalk (Lock E2)	16.63	33.25	33' 3"	22.00	27.88	27' 10.56"
0.84	Bridge E-3, Saratoga Avenue/SR 32	48.75	21.70	21' 8.4"	50.50	20.03	20' 0.36"
0.97	Bridge E-4, Railroad, CP	48.75	21.75	21' 9"	50.50	20.00	20' 0"
1.05	Bridge E-4A, Catwalk (Lock E3)	48.75	34.50	34' 6"	50.50	32.75	32' 9"
1.57	Bridge E-4B, Catwalk (Lock E4)	83.25	34.50	34' 6"	83.25	34.50	34' 6"
1.84	Bridge E-4C, Catwalk (Lock E5)	117.75	33.25	33' 3"	117.75	33.25	33' 3"
2.12	Bridge E-4D, Catwalk (Lock E6)	151.00	33.00	33' 0"	151.00	33.00	33' 0"
2.52	Guard Gate 1 (Waterford)	184.00	24.10	24' 1.2"	187.50	20.60	20' 7.2"
2.77	Guard Gate 2 (Waterford)	184.00	24.10	24' 1.2"	187.50	20.60	20' 7.2"
2.78	Bridge E-5, Flight Lock Road	184.00	24.30	24' 3.6"	187.50	20.80	20' 9.6"
4.55	Bridge E-6, Loudon Road/SR 9	184.00	24.19	24' 2.28"	187.75	20.44	20' 5.28"
7.21	Bridge E-7A, I-87	184.00	30.27	30' 3.24"	188.07	26.20	26' 2.4"
13.03	Bridge E-7B, Catwalk (Lock E7)	184.00	27.00	27' 0"	188.07	22.93	22' 11.16"
17.25	Bridge E-8, Balltown Road/SR 146	211.00	25.18	25' 2.16"	215.30	20.88	20' 10.56"
19.80	Bridge E-10, Railroad, CP	211.00	26.70	26' 8.4"	215.30	22.40	22' 4.8"
20.12	Bridge E-11, Freemans Bridge Road	211.00	25.40	25' 4.8"	215.30	21.10	21' 1.2"
20.99	Bridge E-12, Railroad, CSXT	211.00	24.30	24' 3.6"	215.30	20.00	20' 0"
21.61	Bridge E-13, State St/SR 5	211.00	27.00	27' 0"	215.30	22.70	22' 8.4"
24.04	Bridge E-14, Catwalk (Lock E8)	225.00	23.81	23' 9.72"	227.50	21.31	21' 3.72"
25.73	Bridge E-14A, I-890	225.00	22.37	22' 4.44"	227.50	19.87	19' 10.44"
27.11	Bridge E-15, Railroad, ST	225.00	24.40	24' 4.8"	227.50	21.90	21' 10.8"
29.08	Bridge E-16, Bridge Street/SR 103 (Lock E9)	240.00	23.19	23' 2.28"	243.00	20.19	20' 2.28"
30.43	Bridge E-17, Railroad, CSXT	240.00	24.42	24' 5.04"	243.00	20.92	20' 11.04"
35.02	Bridge E-18, Catwalk (Lock E10)	255.00	23.91	23' 10.92"	243.50	21.91	21' 10.92"
38.06	Bridge E-19A, SR 30	255.00	38.29	38' 3.48"	257.00	35.83	35' 9.96"
38.15	Bridge E-19B, Pedestrian	255.00	27.08	27' 0.96"	257.46	24.62	24' 7.44"
39.29	Bridge E-20, Catwalk (Lock E11)	267.00	23.95	23' 11.4"	269.00	21.95	21' 11.4"
43.53	Bridge E-22, Main St/CR 27 (Lock E12)	278.00	22.00	22' 0"	280.00	20.00	20' 0"
48.52	Bridge E-23, S Bridge Street/SR 30A	278.00	23.20	23' 2.4"	281.20	20.00	20' 0"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
53.10	Bridge E23A, Utility (Lock E13)	286.00	28.00	28' 0"	294.00	20.00	20' 0"
60.61	Bridge E-24, Church Street/SR 10	286.00	30.00	30' 0"	294.37	22.00	22' 0"
60.92	Bridge E-24B, Utility (Lock E14)	294.00	23.50	23' 6"	297.50	20.00	20' 0"
63.87	Bridge E-25, River Street/SR 80	294.00	23.50	23' 6"	297.50	20.00	20' 0"
64.26	Bridge E-25A, Utility (Lock E15)	302.00	24.00	24' 0"	306.00	20.00	20' 0"
69.57	Bridge E-26A, Bridge Street/CR 61	302.00	24.90	24' 10.8"	306.00	20.90	20' 10.8"
70.97	Bridge, Utility (Lock E16)	302.00	40.00	40' 0"	306.00	36.00	36' 0"
71.45	Bridge E-27, River Road/CR 65	322.50	23.16	23' 1.92"	325.50	20.16	20' 1.92"
72.53	Bridge E-28, River Road/CR 65	322.50	29.43	29' 5.16"	325.50	26.43	26' 5.16"
74.54	Guard Gate 3 (Indian Castle)	322.50	24.00	24' 0"	325.50	21.00	21' 0"
74.94	Bridge E-29, Access Road/Lansing Road	322.50	24.00	24' 0"	326.50	20.00	20' 0"
78.87	Bridge E-30A, SR 169	322.50	32.39	32' 4.68"	326.50	28.39	28' 4.68"
79.01	Bridge, Utility (Lock E17)	363.00	24.00	24' 0"	366.00	21.00	21' 0"
79.74	Bridge E-32A, SR 167	363.00	23.00	23' 0"	366.00	20.00	20' 0"
79.84	Guard Gate 4 (Little Falls)	363.00	25.00	25' 0"	366.00	22.00	22' 0"
83.14	Bridge, Utility (Lock 18)	363.00	29.00	29' 0"	366.00	26.00	26' 0"
86.36	Bridge E-34A, S Washington Street	384.00	21.50	21' 6"	385.50	20.00	20' 0"
86.47	Bridge E-34B, I-90	384.00	29.90	29' 10.8"	385.50	28.40	28' 4.8"
87.20	Guard Gate 5 (Herkimer)	384.00	23.00	23' 0"	385.50	21.50	21' 6"
87.23	Bridge E-36, Mohawk Street/SR 28	384.00	21.50	21' 6"	385.50	20.00	20' 0"
89.15	Bridge E-37A, Central Avenue/SR 51	384.00	21.70	21' 8.4"	385.50	20.20	20' 2.4"
91.60	Bridge E-38, Railroad Street	384.00	34.40	34' 4.8"	385.90	32.50	32' 6"
92.51	Bridge E-39, Moss Road	384.00	21.88	21' 10.56"	385.88	20.20	20' 2.4"
94.92	Bridge E-40, Railroad, CSXT	384.00	21.37	21' 4.44"	386.00	19.37	19' 4.44"
94.98	Bridge, Utility (Lock E19)	384.00	24.00	24' 0"	386.00	22.00	22' 0"
97.54	Bridge E-42, Dyke Road/CR 37	404.00	22.20	22' 2.4"	406.00	20.20	20' 2.4"
100.54	Bridge E-43, Leland Avenue	404.00	22.28	22' 3.36"	406.00	20.28	20' 3.36"
100.90	Bridge E-44A, Genesee Street	404.00	22.20	22' 2.4"	406.00	20.20	20' 2.4"
101.80	Bridge E-44B, I-790 NB exit ramp	404.00	23.10	23' 1.2"	406.00	21.10	21' 1.2"
101.88	Bridge E-44C, I-790/SR 8 & 12 (Twin Bridges)	404.00	22.40	22' 4.8"	406.00	20.40	20' 4.8"
101.96	Bridge E-44D, I-790 SB entrance ramp	404.00	22.20	22' 2.4"	406.00	20.20	20' 2.4"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (**EASTERN HALF**) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
102.44	Bridge E-46, Railroad, MHWA	404.00	22.17	22' 2.04"	406.00	20.17	20' 2.04"
104.40	Bridge E-47A, Mohawk Street/CR 30	404.00	22.30	22' 3.6"	406.00	20.30	20' 3.6"
104.62	Bridge E-47B, I-90	404.00	22.24	22' 2.88"	406.00	20.24	20' 2.88"
105.26	Bridge, Utility (Lock E20)	404.00	28.00	28' 0"	406.00	26.00	26' 0"
105.63	Bridge E-48A, SR 291	420.00	22.50	22' 6"	422.50	20.00	20' 0"
107.68	Bridge E-49, Oriskany Road/CR 32	420.00	23.20	23' 2.4"	422.50	20.70	20' 8.4"
111.80	Guard Gate 6 (Rome)	420.00	22.00	22' 0"	422.50	19.50	19' 6"
113.18	Bridge E-50, Railroad, MHWA	420.00	22.50	22' 6"	422.50	20.00	20' 0"
113.77	Bridge E-50A, SR 49 & 365 EB	420.00	39.10	39' 1.2"	422.50	36.60	36' 7.2"
113.80	Bridge E-50B, SR 49 & 365 WB	420.00	39.10	39' 1.2"	422.50	36.60	36' 7.2"
114.79	Bridge E-51, Mill Street	420.00	23.40	23' 4.8"	422.50	20.90	20' 10.8"
115.05	Guard Gate 7 (Rome)	420.00	22.00	22' 0"	422.50	19.50	19' 6"
115.08	Bridge E-52A, Erie Blvd/SR 46/49/69	420.00	33.75	33' 9"	422.50	31.25	31' 3"
115.74	Bridge E-55, South James Street	420.00	24.25	24' 3"	422.50	21.75	21' 9"
119.85	Bridge E-57, Stoney Creek Road/CR 60A	420.00	22.60	22' 7.2"	422.50	20.10	20' 1.2"
122.10	Bridge E-58A, SR 46	420.00	24.04	24' 0.48"	422.50	21.54	21' 6.48"
123.44	Bridge, Catwalk (Lock E21)	394.00	27.00	27' 0"	397.00	24.00	24' 0"
123.45	Bridge E-59, Lock Road	394.00	23.18	23' 2.16"	397.00	20.18	20' 2.16"
124.77	Bridge, Utility (Lock E22)	371.00	35.00	35' 0"	374.00	32.00	32' 0"
126.04	Bridge E-60, Higginsville Road/CR 50A	371.00	23.17	23' 2.04"	374.00	20.17	20' 2.04"
128.19	Bridge E-61, Cove Road	371.00	23.00	23' 0"	374.00	20.00	20' 0"
129.18	Bridge E-63, Main Street/SR 13	371.00	24.22	24' 2.64"	374.00	21.22	21' 2.64"
129.75	Oneida Lake - No Overhead Obstructions						
150.06	Bridge E-63A, I-81	371.00	23.50	23' 6"	374.50	20.00	20' 0"
150.58	Bridge E-64, Brewerton Road/US 11	371.00	23.50	23' 6"	374.20	20.30	20' 3.6"
150.72	Bridge E-65, Railroad, CSXT	371.00	21.72	21' 8.64"	372.50	20.22	20' 2.64"
152.90	Bridge E-66, Caughdenoy Road/CR 50	371.00	23.50	23' 6"	375.00	19.50	19' 6"
153.60	Guard Gate (Lock 23)	371.00	23.19	23' 2.28"	375.00	19.19	19' 2.28"
153.65	Bridge E-66A, Catwalk (Lock E23)	371.00	23.89	23' 10.68"	375.00	19.89	19' 10.68"
154.01	Bridge E-67, Black Creek Road/CR 239	363.90	23.10	23' 1.2"	367.00	20.00	20' 0"
156.50	Bridge E-68, Morgan Rd, CR 10	363.90	22.80	22' 9.6"	366.70	20.00	20' 0"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (**EASTERN HALF**) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
158.31	Bridge E-69, Horseshoe Island Road	363.90	22.40	22' 4.8"	366.65	19.65	19' 7.8"
159.40	Bridge E-69A, SR 481	363.90	22.70	22' 8.4"	366.60	20.00	20' 0"
160.32	Bridge E-70, Railroad, CSXT	363.90	22.64	22' 7.68"	366.54	20.00	20' 0"
160.34	Bridge E-71, Oswego Road/CR 57	363.90	22.62	22' 7.44"	366.50	20.02	20' 0.24"
160.45	Oswego Canal Junction						

* Normal pool level is the water level typically maintained for that canal segment.
The **RED BOLDED** Numerals indicate the minimum clearances encountered for this canal segment.

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
0.36	Bridge E-1, 2nd Street/Peebles Isl. Road	16.63'	25.59	25' 7.08"	22.00	20.22	20' 2.64"
0.50	Bridge E-2, 4th Street	16.63'	25.37	25' 4.44"	22.00	20.00	20' 0"
0.52	Bridge E-2A, Catwalk (Lock E2)	16.63'	33.25	33' 3"	22.00	27.88	27' 10.56"
0.73	Bridge E-3, Saratoga Avenue/SR 32	48.75'	21.70	21' 8.4"	50.50	20.03	20' 0.36"
0.84	Bridge E-4, Railroad, CP	48.75'	21.75	21' 9"	50.50	20.00	20' 0"
0.91	Bridge E-4A, Catwalk (Lock E3)	48.75'	34.50	34' 6"	50.50	32.75	32' 9"
1.36	Bridge E-4B, Catwalk (Lock E4)	83.25'	34.50	34' 6"	83.25	34.50	34' 6"
1.60	Bridge E-4C, Catwalk (Lock E5)	117.75'	33.25	33' 3"	117.75	33.25	33' 3"
1.84	Bridge E-4D, Catwalk (Lock E6)	151.00'	33.00	33' 0"	151.00	33.00	33' 0"
2.19	Guard Gate 1 (Waterford)	184.00'	24.10	24' 1.2"	187.50	20.60	20' 7.2"
2.41	Guard Gate 2 (Waterford)	184.00'	24.10	24' 1.2"	187.50	20.60	20' 7.2"
2.42	Bridge E-5, Flight Lock Road	184.00'	24.30	24' 3.6"	187.50	20.80	20' 9.6"
3.95	Bridge E-6, Loudon Road/SR 9	184.00'	24.19	24' 2.28"	187.75	20.44	20' 5.28"
6.27	Bridge E-7A, I-87	184.00'	30.27	30' 3.24"	188.07	26.20	26' 2.4"
11.32	Bridge E-7B, Catwalk (Lock E7)	184.00'	27.00	27' 0"	188.07	22.93	22' 11.16"
14.99	Bridge E-8, Balltown Road/SR 146	211.00'	25.18	25' 2.16"	215.30	20.88	20' 10.56"
17.21	Bridge E-10, Railroad, CP	211.00'	26.70	26' 8.4"	215.30	22.40	22' 4.8"
17.48	Bridge E-11, Freemans Bridge Road	211.00'	25.40	25' 4.8"	215.30	21.10	21' 1.2"
18.24	Bridge E-12, Railroad, CSXT	211.00'	24.30	24' 3.6"	215.30	20.00	20' 0"
18.78	Bridge E-13, State St/SR 5	211.00'	27.00	27' 0"	215.30	22.70	22' 8.4"
20.89	Bridge E-14, Catwalk (Lock E8)	225.00'	23.81	23' 9.72"	227.50	21.31	21' 3.72"
22.36	Bridge E-14A, I-890	225.00'	22.37	22' 4.44"	227.50	19.87	19' 10.44"
23.56	Bridge E-15, Railroad, ST	225.00'	24.40	24' 4.8"	227.50	21.90	21' 10.8"
25.27	Bridge E-16, Bridge Street/SR 103 (Lock E9)	240.00'	23.19	23' 2.28"	243.00	20.19	20' 2.28"
26.44	Bridge E-17, Railroad, CSXT	240.00'	24.42	24' 5.04"	243.00	20.92	20' 11.04"
30.43	Bridge E-18, Catwalk (Lock E10)	255.00'	23.91	23' 10.92"	243.50	21.91	21' 10.92"
33.07	Bridge E-19A, SR 30	255.00'	38.29	38' 3.48"	257.00	35.83	35' 9.96"
33.15	Bridge E-19B, Pedestrian	255.00'	27.08	27' 0.96"	257.46	24.62	24' 7.44"
34.14	Bridge E-20, Catwalk (Lock E11)	267.00'	23.95	23' 11.4"	269.00	21.95	21' 11.4"
37.83	Bridge E-22, Main St/CR 27 (Lock E12)	278.00'	22.00	22' 0"	280.00	20.00	20' 0"
42.16	Bridge E-23, S Bridge Street/SR 30A	278.00'	23.20	23' 2.4"	281.20	20.00	20' 0"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
46.14	Bridge E23A, Utility (Lock E13)	286.00'	28.00	28' 0"	294.00	20.00	20' 0"
52.67	Bridge E-24, Church Street/SR 10	286.00'	30.00	30' 0"	294.37	22.00	22' 0"
52.94	Bridge E-24B, Utility (Lock E14)	294.00'	23.50	23' 6"	297.50	20.00	20' 0"
55.50	Bridge E-25, River Street/SR 80	294.00'	23.50	23' 6"	297.50	20.00	20' 0"
55.84	Bridge E-25A, Utility (Lock E15)	302.00'	24.00	24' 0"	306.00	20.00	20' 0"
60.45	Bridge E-26A, Bridge Street/CR 61	302.00'	24.90	24' 10.8"	306.00	20.90	20' 10.8"
61.67	Bridge, Utility (Lock E16)	302.00'	40.00	40' 0"	306.00	36.00	36' 0"
62.09	Bridge E-27, River Road/CR 65	322.50'	23.16	23' 1.92"	325.50	20.16	20' 1.92"
63.03	Bridge E-28, River Road/CR 65	322.50'	29.43	29' 5.16"	325.50	26.43	26' 5.16"
64.77	Guard Gate 3 (Indian Castle)	322.50'	24.00	24' 0"	325.50	21.00	21' 0"
65.12	Bridge E-29, Access Road/Lansing Road	322.50'	24.00	24' 0"	326.50	20.00	20' 0"
68.54	Bridge E-30A, SR 169	322.50'	32.39	32' 4.68"	326.50	28.39	28' 4.68"
68.66	Bridge, Utility (Lock E17)	363.00'	24.00	24' 0"	366.00	21.00	21' 0"
69.29	Bridge E-32A, SR 167	363.00'	23.00	23' 0"	366.00	20.00	20' 0"
69.38	Guard Gate 4 (Little Falls)	363.00'	25.00	25' 0"	366.00	22.00	22' 0"
72.25	Bridge, Utility (Lock 18)	363.00'	29.00	29' 0"	366.00	26.00	26' 0"
75.04	Bridge E-34A, S Washington Street	384.00'	21.50	21' 6"	385.50	20.00	20' 0"
75.14	Bridge E-34B, I-90	384.00'	29.90	29' 10.8"	385.50	28.40	28' 4.8"
75.77	Guard Gate 5 (Herkimer)	384.00'	23.00	23' 0"	385.50	21.50	21' 6"
75.80	Bridge E-36, Mohawk Street/SR 28	384.00'	21.50	21' 6"	385.50	20.00	20' 0"
77.47	Bridge E-37A, Central Avenue/SR 51	384.00'	21.70	21' 8.4"	385.50	20.20	20' 2.4"
79.60	Bridge E-38, Railroad Street	384.00'	34.40	34' 4.8"	385.90	32.50	32' 6"
80.39	Bridge E-39, Moss Road	384.00'	21.88	21' 10.56"	385.88	20.00	20' 0"
82.48	Bridge E-40, Railroad, CSXT	384.00'	21.37	21' 4.44"	386.00	19.37	19' 4.44"
82.54	Bridge, Utility (Lock E19)	384.00'	24.00	24' 0"	386.00	22.00	22' 0"
84.76	Bridge E-42, Dyke Road/CR 37	404.00'	22.20	22' 2.4"	406.00	20.20	20' 2.4"
87.37	Bridge E-43, Leland Avenue	404.00'	22.28	22' 3.36"	406.00	20.28	20' 3.36"
87.68	Bridge E-44A, Genesee Street	404.00'	22.20	22' 2.4"	406.00	20.20	20' 2.4"
88.46	Bridge E-44B, SR 5 exit ramp	404.00'	23.10	23' 1.2"	406.00	21.10	21' 1.2"
88.53	Bridge E-44C, SR 8/12	404.00'	22.40	22' 4.8"	406.00	20.40	20' 4.8"
88.60	Bridge E-44D, I-790 NB exit ramp	404.00'	22.20	22' 2.4"	406.00	20.20	20' 2.4"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
89.02	Bridge E-46, Railroad, MHWA	404.00'	22.17	22' 2.04"	406.00	20.17	20' 2.04"
90.72	Bridge E-47A, Mohawk Street/CR 30	404.00'	22.30	22' 3.6"	406.00	20.30	20' 3.6"
90.91	Bridge E-47B, I-90	404.00'	22.24	22' 2.88"	406.00	20.24	20' 2.88"
91.47	Bridge, Utility (Lock E20)	404.00'	28.00	28' 0"	406.00	26.00	26' 0"
91.79	Bridge E-48A, SR 291	420.00'	22.50	22' 6"	422.50	20.00	20' 0"
93.57	Bridge E-49, Oriskany Road/CR 32	420.00'	23.20	23' 2.4"	422.50	20.70	20' 8.4"
97.15	Guard Gate 6 (Rome)	420.00'	22.00	22' 0"	422.50	19.50	19' 6"
98.35	Bridge E-50, Railroad, MHWA	420.00'	22.50	22' 6"	422.50	20.00	20' 0"
98.86	Bridge E-50A, SR 49 & 365 EB	420.00'	39.10	39' 1.2"	422.50	36.60	36' 7.2"
98.89	Bridge E-50B, SR 49 & 365 WB	420.00'	39.10	39' 1.2"	422.50	36.60	36' 7.2"
99.75	Bridge E-51, Mill Street	420.00'	23.40	23' 4.8"	422.50	20.90	20' 10.8"
99.98	Guard Gate 7 (Rome)	420.00'	22.00	22' 0"	422.50	19.50	19' 6"
100.00	Bridge E-52A, Erie Blvd/SR 46/49/69	420.00'	33.75	33' 9"	422.50	31.25	31' 3"
100.58	Bridge E-55, South James Street	420.00'	24.25	24' 3"	422.50	21.75	21' 9"
104.15	Bridge E-57, Stoney Creek Road/CR 60A	420.00'	22.60	22' 7.2"	422.50	20.10	20' 1.2"
106.10	Bridge E-58A, SR 46	420.00'	24.04	24' 0.48"	422.50	21.54	21' 6.48"
107.27	Bridge, Catwalk (Lock E21)	394.00'	27.00	27' 0"	397.00	24.00	24' 0"
107.28	Bridge E-59, Lock Road	394.00'	23.18	23' 2.16"	397.00	20.18	20' 2.16"
108.42	Bridge, Utility (Lock E22)	371.00'	35.00	35' 0"	374.00	32.00	32' 0"
109.53	Bridge E-60, Higginsville Road/CR 50A	371.00'	23.17	23' 2.04"	374.00	20.17	20' 2.04"
111.39	Bridge E-61, Cove Road	371.00'	23.00	23' 0"	374.00	20.00	20' 0"
112.25	Bridge E-63, Main Street/SR 13	371.00'	24.22	24' 2.64"	374.00	21.22	21' 2.64"
	Oneida Lake - No Overhead Obstructions						
130.40	Bridge E-63A, I-81	371.00'	23.50	23' 6"	374.50	20.00	20' 0"
130.85	Bridge E-64, Brewerton Road/US 11	371.00'	23.50	23' 6"	374.20	20.30	20' 3.6"
130.97	Bridge E-65, Railroad, CSXT	371.00'	21.72	21' 8.64"	372.50	20.22	20' 2.64"
132.87	Bridge E-66, Caughdenoy Road/CR 50	371.00'	23.50	23' 6"	375.00	19.50	19' 6"
133.47	Guard Gate (Lock 23)	371.00'	23.19	23' 2.28"	375.00	19.19	19' 2.28"
133.52	Bridge E-66A, Catwalk (Lock E23)	371.00'	23.89	23' 10.68"	375.00	19.89	19' 10.68"
133.83	Bridge E-67, Black Creek Road/CR 239	363.90'	23.10	23' 1.2"	367.00	20.00	20' 0"
135.99	Bridge E-68, Morgan Rd, CR 10	363.90'	22.80	22' 9.6"	366.70	20.00	20' 0"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (**EASTERN HALF**) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
137.57	Bridge E-69, Horseshoe Island Road	363.90'	22.40	22' 4.8"	366.65	19.65	19' 7.8"
138.51	Bridge E-69A, SR 481	363.90'	22.70	22' 8.4"	366.60	20.00	20' 0"
139.31	Bridge E-70, Railroad, CSXT	363.90'	22.64	22' 7.68"	366.54	20.00	20' 0"
139.33	Bridge E-71, Oswego Road/CR 57	363.90'	22.62	22' 7.44"	366.50	20.02	20' 0.24"
139.43	Oswego Canal Junction						

* Normal pool level is the water level typically maintained for that canal segment.
The **RED BOLDED** Numerals indicate the minimum clearances encountered for this canal segment.

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
0.66	Bridge E-1, 2nd Street/Peebles Isl. Road	5.07 meters	7.80 meters	6.71	6.16 meters
0.92	Bridge E-2, 4th Street	5.07 meters	7.73 meters	6.71	6.10 meters
0.97	Bridge E-2A, Catwalk (Lock E2)	5.07 meters	10.13 meters	6.71	8.50 meters
1.35	Bridge E-3, Saratoga Avenue/SR 32	14.86 meters	6.61 meters	15.39	6.11 meters
1.56	Bridge E-4, Railroad, CP	14.86 meters	6.63 meters	15.39	6.10 meters
1.69	Bridge E-4A, Catwalk (Lock E3)	14.86 meters	10.52 meters	15.39	9.98 meters
2.53	Bridge E-4B, Catwalk (Lock E4)	25.37 meters	10.52 meters	25.37	10.52 meters
2.96	Bridge E-4C, Catwalk (Lock E5)	35.89 meters	10.13 meters	35.89	10.13 meters
3.41	Bridge E-4D, Catwalk (Lock E6)	46.02 meters	10.06 meters	46.02	10.06 meters
4.06	Guard Gate 1 (Waterford)	56.08 meters	7.35 meters	57.15	6.28 meters
4.46	Guard Gate 2 (Waterford)	56.08 meters	7.35 meters	57.15	6.28 meters
4.47	Bridge E-5, Flight Lock Road	56.08 meters	7.41 meters	57.15	6.34 meters
7.32	Bridge E-6, Loudon Road/SR 9	56.08 meters	7.37 meters	57.23	6.23 meters
11.60	Bridge E-7A, I-87	56.08 meters	9.23 meters	57.32	7.99 meters
20.97	Bridge E-7B, Catwalk (Lock E7)	56.08 meters	8.23 meters	57.32	6.99 meters
27.76	Bridge E-8, Balltown Road/SR 146	64.31 meters	7.67 meters	65.62	6.36 meters
31.87	Bridge E-10, Railroad, CP	64.31 meters	8.14 meters	65.62	6.83 meters
32.38	Bridge E-11, Freemans Bridge Road	64.31 meters	7.74 meters	65.62	6.43 meters
33.78	Bridge E-12, Railroad, CSXT	64.31 meters	7.41 meters	65.62	6.10 meters
34.78	Bridge E-13, State St/SR 5	64.31 meters	8.23 meters	65.62	6.92 meters
38.69	Bridge E-14, Catwalk (Lock E8)	68.58 meters	7.26 meters	69.34	6.50 meters
41.41	Bridge E-14A, I-890	68.58 meters	6.82 meters	69.34	6.06 meters
43.63	Bridge E-15, Railroad, ST	68.58 meters	7.44 meters	69.34	6.68 meters
46.80	Bridge E-16, Bridge Street/SR 103 (Lock E9)	73.15 meters	7.07 meters	74.07	6.15 meters
48.97	Bridge E-17, Railroad, CSXT	73.15 meters	7.44 meters	74.07	6.38 meters
56.36	Bridge E-18, Catwalk (Lock E10)	77.72 meters	7.29 meters	74.22	6.68 meters
61.25	Bridge E-19A, SR 30	77.72 meters	11.67 meters	78.33	10.92 meters
61.40	Bridge E-19B, Pedestrian	77.72 meters	8.25 meters	78.47	7.50 meters
63.23	Bridge E-20, Catwalk (Lock E11)	81.38 meters	7.30 meters	81.99	6.69 meters
70.05	Bridge E-22, Main St/CR 27 (Lock E12)	84.73 meters	6.71 meters	85.34	6.10 meters
78.09	Bridge E-23, S Bridge Street/SR 30A	84.73 meters	7.07 meters	85.71	6.10 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
85.46	Bridge E23A, Utility (Lock E13)	87.17 meters	8.53 meters	89.61	6.10 meters
97.54	Bridge E-24, Church Street/SR 10	87.17 meters	9.14 meters	89.72	6.71 meters
98.04	Bridge E-24B, Utility (Lock E14)	89.61 meters	7.16 meters	90.68	6.10 meters
102.79	Bridge E-25, River Street/SR 80	89.61 meters	7.16 meters	90.68	6.10 meters
103.42	Bridge E-25A, Utility (Lock E15)	92.05 meters	7.32 meters	93.27	6.10 meters
111.96	Bridge E-26A, Bridge Street/CR 61	92.05 meters	7.59 meters	93.27	6.37 meters
114.22	Bridge, Utility (Lock E16)	92.05 meters	12.19 meters	93.27	10.97 meters
114.99	Bridge E-27, River Road/CR 65	98.30 meters	7.06 meters	99.21	6.14 meters
116.73	Bridge E-28, River Road/CR 65	98.30 meters	8.97 meters	99.21	8.06 meters
119.96	Guard Gate 3 (Indian Castle)	98.30 meters	7.32 meters	99.21	6.40 meters
120.60	Bridge E-29, Access Road/Lansing Road	98.30 meters	7.32 meters	99.52	6.10 meters
126.93	Bridge E-30A, SR 169	98.30 meters	9.87 meters	99.52	8.65 meters
127.15	Bridge, Utility (Lock E17)	110.64 meters	7.32 meters	111.56	6.40 meters
128.33	Bridge E-32A, SR 167	110.64 meters	7.01 meters	111.56	6.10 meters
128.49	Guard Gate 4 (Little Falls)	110.64 meters	7.62 meters	111.56	6.71 meters
133.80	Bridge, Utility (Lock 18)	110.64 meters	8.84 meters	111.56	7.92 meters
138.98	Bridge E-34A, S Washington Street	117.04 meters	6.55 meters	117.50	6.10 meters
139.16	Bridge E-34B, I-90	117.04 meters	9.11 meters	117.50	8.66 meters
140.33	Guard Gate 5 (Herkimer)	117.04 meters	7.01 meters	117.50	6.55 meters
140.38	Bridge E-36, Mohawk Street/SR 28	117.04 meters	6.55 meters	117.50	6.10 meters
143.47	Bridge E-37A, Central Avenue/SR 51	117.04 meters	6.61 meters	117.50	6.16 meters
147.42	Bridge E-38, Railroad Street	117.04 meters	10.49 meters	117.62	9.91 meters
148.88	Bridge E-39, Moss Road	117.04 meters	6.67 meters	117.62	6.16 meters
152.76	Bridge E-40, Railroad, CSXT	117.04 meters	6.51 meters	117.65	5.90 meters
152.86	Bridge, Utility (Lock E19)	117.04 meters	7.32 meters	117.65	6.71 meters
156.98	Bridge E-42, Dyke Road/CR 37	123.14 meters	6.77 meters	123.75	6.16 meters
161.80	Bridge E-43, Leland Avenue	123.14 meters	6.79 meters	123.75	6.18 meters
162.38	Bridge E-44A, Genesee Street	123.14 meters	6.77 meters	123.75	6.16 meters
163.83	Bridge E-44B, SR 5 exit ramp	123.14 meters	7.04 meters	123.75	6.43 meters
163.96	Bridge E-44C, SR 8/12	123.14 meters	6.83 meters	123.75	6.22 meters
164.09	Bridge E-44D, I-790 NB exit ramp	123.14 meters	6.77 meters	123.75	6.16 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
164.86	Bridge E-46, Railroad, MHWA	123.14 meters	6.76 meters	123.75	6.15 meters
168.02	Bridge E-47A, Mohawk Street/CR 30	123.14 meters	6.80 meters	123.75	6.19 meters
168.37	Bridge E-47B, I-90	123.14 meters	6.78 meters	123.75	6.17 meters
169.40	Bridge, Utility (Lock E20)	123.14 meters	8.53 meters	123.75	7.92 meters
170.00	Bridge E-48A, SR 291	128.02 meters	6.86 meters	128.78	6.10 meters
173.29	Bridge E-49, Oriskany Road/CR 32	128.02 meters	7.07 meters	128.78	6.31 meters
179.92	Guard Gate 6 (Rome)	128.02 meters	6.71 meters	128.78	5.94 meters
182.15	Bridge E-50, Railroad, MHWA	128.02 meters	6.86 meters	128.78	6.10 meters
183.10	Bridge E-50A, SR 49 & 365 EB	128.02 meters	11.92 meters	128.78	11.16 meters
183.14	Bridge E-50B, SR 49 & 365 WB	128.02 meters	11.92 meters	128.78	11.16 meters
184.74	Bridge E-51, Mill Street	128.02 meters	7.13 meters	128.78	6.37 meters
185.16	Guard Gate 7 (Rome)	128.02 meters	6.71 meters	128.78	5.94 meters
185.20	Bridge E-52A, Erie Blvd/SR 46/49/69	128.02 meters	10.29 meters	128.78	9.53 meters
186.27	Bridge E-55, South James Street	128.02 meters	7.39 meters	128.78	6.63 meters
192.88	Bridge E-57, Stoney Creek Road/CR 60A	128.02 meters	6.89 meters	128.78	6.13 meters
196.50	Bridge E-58A, SR 46	128.02 meters	7.33 meters	128.78	6.57 meters
198.66	Bridge, Catwalk (Lock E21)	120.09 meters	8.23 meters	121.01	7.32 meters
198.67	Bridge E-59, Lock Road	120.09 meters	7.07 meters	121.01	6.15 meters
200.80	Bridge, Utility (Lock E22)	113.08 meters	10.67 meters	114.00	9.75 meters
202.84	Bridge E-60, Higginsville Road/CR 50A	113.08 meters	7.06 meters	114.00	6.15 meters
206.30	Bridge E-61, Cove Road	113.08 meters	7.01 meters	114.00	6.10 meters
207.90	Bridge E-63, Main Street/SR 13	113.08 meters	7.38 meters	114.00	6.47 meters
	Oneida Lake - No Overhead Obstructions				
241.50	Bridge E-63A, I-81	113.08 meters	7.16 meters	114.15	6.10 meters
242.34	Bridge E-64, Brewerton Road/US 11	113.08 meters	7.16 meters	114.06	6.19 meters
242.56	Bridge E-65, Railroad, CSXT	113.08 meters	6.62 meters	113.54	6.16 meters
246.07	Bridge E-66, Caughdenoy Road/CR 50	113.08 meters	7.16 meters	114.30	5.94 meters
247.20	Guard Gate (Lock 23)	113.08 meters	7.07 meters	114.30	5.85 meters
247.28	Bridge E-66A, Catwalk (Lock E23)	113.08 meters	7.28 meters	114.30	6.06 meters
247.86	Bridge E-67, Black Creek Road/CR 239	110.92 meters	7.04 meters	111.86	6.10 meters
251.86	Bridge E-68, Morgan Rd, CR 10	110.92 meters	6.95 meters	111.77	6.10 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (EASTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
254.78	Bridge E-69, Horseshoe Island Road	110.92 meters	6.83 meters	111.75	5.99 meters
256.53	Bridge E-69A, SR 481	110.92 meters	6.92 meters	111.74	6.10 meters
258.01	Bridge E-70, Railroad, CSXT	110.92 meters	6.90 meters	111.72	6.10 meters
258.04	Bridge E-71, Oswego Road/CR 57	110.92 meters	6.89 meters	111.71	6.10 meters
258.22	Oswego Canal Junction				

* Normal pool level is the water level typically maintained for that canal segment.
The **RED BOLDED** Numerals indicate the minimum clearances encountered for this canal segment.

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
162.39	Bridge E-72, Belgium Road/SR 31	363.90	21.31	21' 3.72"	366.58	18.63	18' 7.56"
167.10	Bridge E-73, Cold Springs Road/SR 370	363.90	22.87	22' 10.44"	366.77	20.00	20' 0"
167.18	Junction - ONONDAGA LAKE						
170.51	Bridge E-77, Railroad, CSXT	363.90	19.57	19' 6.84"	367.20	16.27	16' 3.24"
172.36	Bridge E-78, Syracuse Street/SR 48	363.90	18.80	18' 9.6"	367.20	15.50	15' 6"
172.42	Bridge E-78B, Utility (Lock E24)	374.00	19.68	19' 8.16"	377.30	16.38	16' 4.56"
172.44	Guard Gate (Lock E24)	374.00	24.10	24' 1.2"	377.30	20.80	20' 9.6"
174.06	Bridge E-78A, SR 31 & 690	374.00	23.30	23' 3.6"	377.30	20.00	20' 0"
180.82	Bridge E-79, Plainville Road/CR 32	374.00	20.57	20' 6.84"	377.81	16.76	16' 9.12"
184.70	Bridge E-80, River Road/CR 16	374.00	25.40	25' 4.8"	377.98	21.42	21' 5.04"
186.60	Bridge E-81, Bonta Bridge Road/CR 14	374.00	19.68	19' 8.16"	378.18	15.50	15' 6"
188.87	Bridge E-83, SR 34 (Weedsport)	374.00	25.30	25' 3.6"	378.56	20.74	20' 8.88"
192.72	Bridge E-84, O'Neil Road/CR 19B&C	374.00	20.63	20' 7.56"	379.04	15.59	15' 7.08"
193.75	Bridge E-85, Conquest Road/SR 38	374.00	25.00	25' 0"	379.00	20.00	20' 0"
195.18	Bridge E-86, Howland Island Road/CR 139	374.00	20.51	20' 6.12"	379.00	15.51	15' 6.12"
197.06	Bridge E-87, Railroad, CSXT	374.00	21.19	21' 2.28"	379.10	16.09	16' 1.08"
200.11	Bridge E-90, SR 31	374.00	25.80	25' 9.6"	379.70	20.10	20' 1.2"
201.38	Junction - CAYUGA-SENECA CANAL						
203.13	Bridge E-90A, Utility (Lock E25)	380.00	18.45	18' 5.4"	382.95	15.50	15' 6"
203.23	Bridge E-91, SR 89	380.00	25.55	25' 6.6"	382.95	22.60	22' 7.2"
205.59	Bridge E-92, Armitage Road/CR 105	380.00	18.45	18' 5.4"	382.95	15.50	15' 6"
208.94*	Bridge E-92A, Utility (Lock E26)	386.00	20.00	20' 0"	386.50	19.00	19' 0"
209.36	Bridge E-93, Abandoned Railroad	386.00	16.13	16' 1.56"	386.50	15.63	15' 7.56"
211.32	Bridge E-94, Glassgow Street/SR 414	386.00	20.50	20' 6"	386.50	20.00	20' 0"
217.76	Bridge E-96, Lyons-Mar Road/CR 344	386.00	18.58	18' 6.96"	386.50	18.08	18' 0.96"
218.67	Bridge E-97, Abandoned Railroad	386.00	17.72	17' 8.64"	387.64	15.78	15' 9.36"
219.94	Bridge E-99, Railroad, CSXT	386.00	18.20	18' 2.4"	388.17	16.03	16' 0.36"
220.27	Bridge E-99A, Forgham Street/SR 31	386.00	25.67	25' 8.04"	391.67	20.00	20' 0"
220.77	Bridge E-100, Geneva Street/SR 14	386.00	19.86	19' 10.32"	390.36	15.50	15' 6"
221.01	Bridge E-101, Leach Road (Lock 27)	398.50	18.20	18' 2.4"	400.70	16.00	16' 0"
221.05	Bridge E-103, Gas Pipeline	398.50	30.75	30' 9"	400.70	28.55	28' 6.6"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
222.22	Bridge E-104, Dry Dock Road	398.50	18.85	18' 10.2"	400.70	16.65	16' 7.8"
222.27	Bridge E-104A, Utility (Lock E28A)	418.00	16.37	16' 4.44"	418.87	15.50	15' 6"
223.70	Bridge E-105, County House Road	418.00	16.90	16' 10.8"	418.87	16.03	16' 0.36"
224.65	Bridge E-106, Railroad, CSXT	418.00	16.37	16' 4.44"	418.87	15.50	15' 6"
226.21	Bridge E-108, N Clinton Street	418.00	16.95	16' 11.4"	418.87	16.08	16' 0.96"
226.25	Bridge E-108A, Utility (Lock 28B)	430.00	17.64	17' 7.68"	432.00	15.64	15' 7.68"
226.38	Bridge E-109, Abandoned Railroad	430.00	27.99	27' 11.88"	432.00	25.99	25' 11.88"
226.66	Bridge E-110, East Avenue	430.00	18.00	18' 0"	432.00	16.00	16' 0"
226.79	Bridge E-111, Main Street/SR 88	430.00	17.68	17' 8.16"	432.00	15.68	15' 8.16"
227.46	Bridge E-112, Edgett Street	430.00	18.01	18' 0.12"	432.00	16.01	16' 0.12"
228.52	Bridge E-113, Whitbeck Road/CR 224	430.00	17.68	17' 8.16"	432.00	15.68	15' 8.16"
230.13	Bridge E-114, Port Gibson Road	430.00	17.68	17' 8.16"	432.00	15.68	15' 8.16"
232.54	Bridge E-115, Galloway Road	430.00	22.70	22' 8.4"	432.10	20.60	20' 7.2"
234.56	Bridge E-116, Pal-Mar Road/SR 21	430.00	22.10	22' 1.2"	432.10	20.00	20' 0"
235.06	Bridge E-117, Division Street	430.00	17.64	17' 7.68"	432.10	15.54	15' 6.48"
235.28	Bridge E-118, Maple Avenue/CR 210	430.00	17.93	17' 11.16"	432.10	15.83	15' 9.96"
236.00	Bridge E-118A, Utility (Lock E29)	430.00	17.60	17' 7.2"	432.10	15.50	15' 6"
236.54	Bridge E-119, Walworth Road/CR 208	446.00	16.25	16' 3"	446.60	15.65	15' 7.8"
238.34	Bridge E-120, O'Neil Road/Quaker Road	446.00	16.17	16' 2.04"	446.60	15.57	15' 6.84"
238.59	Bridge E-120A, Pipeline	446.00	21.00	21' 0"	446.60	20.40	20' 4.8"
238.93	Bridge E-121, Ontario Center Road/SR 31F	446.00	20.60	20' 7.2"	446.60	20.00	20' 0"
239.02	Bridge E-121A, Utility (Lock E30)	462.40	22.00	22' 0"	462.50	21.00	21' 0"
239.98	Bridge E-122, Canandaigua Road	462.40	16.18	16' 2.16"	462.50	16.08	16' 0.96"
242.07	Bridge E-123, Wayneport Road/CR 206	462.40	15.62	15' 7.44"	462.50	15.52	15' 6.24"
244.33	Bridge E-124, Lyndon Road/CR 44	462.40	20.30	20' 3.6"	463.00	19.70	19' 8.4"
245.86	Bridge E125A, Pedestrian	462.40	17.29	17' 3.48"	463.00	16.69	16' 8.28"
246.11	Bridge E-126, Turk Hill Road/SR 31F	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
246.52	Bridge E-127, Parker Street	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
246.67	Bridge E-128, Lift Bridge , Main Street/SR 250	462.40	16.36	16' 4.32"	463.00	15.76	15' 9.12"
247.61	Bridge E-129, W Church Street/SR 31F	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
249.12	Bridge E-130, Aryault Road/CR 21	462.40	16.58	16' 6.96"	463.00	15.98	15' 11.76"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
249.32	Bridge E-130A Water Pipeline	462.40	17.24	17' 2.88"	463.00	16.64	16' 7.68"
249.47	Bridge E-131, Palmyra Road/SR 31	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
249.96	Guard Gate, Bushnell's Basin	462.40	16.00	16' 0"	463.00	15.40	15' 4.8"
250.29	Bridge E-131A, I-490	462.40	20.15	20' 1.8"	463.00	19.55	19' 6.6"
250.60	Bridge E-133, Marsh Road/CR 38	462.40	16.14	16' 1.68"	463.00	15.54	15' 6.48"
252.35	Guard Gate, Cartersville	462.40	16.58	16' 6.96"	463.00	15.98	15' 11.76"
252.72	Bridge E-136, Mitchell Road	462.40	16.18	16' 2.16"	463.00	15.58	15' 6.96"
253.23	Bridge E-137, State Street/SR 31	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
253.50	Bridge E-138, Main Street/SR 96	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
253.68	Bridge E-139, Railroad, CSXT	462.40	15.65	15' 7.8"	463.00	15.05	15' 0.6"
253.91	Bridge E-140, Monroe Avenue/SR 31	462.40	21.10	21' 1.2"	463.00	20.50	20' 6"
255.07	Bridge E-141, Clover Street/SR 65	462.40	20.00	20' 0"	463.00	19.40	19' 4.8"
255.08	Bridge E-141A, Utility (Lock E32)	462.40	27.10	27' 1.2"	463.00	26.50	26' 6"
256.36	Bridge E-142, Edgewood Avenue/CR 102	487.50	17.50	17' 6"	488.00	17.00	17' 0"
256.40	Bridge E-142A, Utility (Lock E33)	487.50	25.10	25' 1.2"	488.00	24.60	24' 7.2"
257.00	Bridge E-143, S Winton Road/CR 98	512.90	21.35	21' 4.2"	513.90	20.35	20' 4.2"
258.03	Bridge E-144, Clinton Avenue S./CR100	512.90	16.58	16' 6.96"	513.90	15.58	15' 6.96"
258.09	Bridge E-144A, Genesee Exp. Exit to I-390/I-590	512.90	21.89	21' 10.68"	513.90	20.89	20' 10.68"
258.14	Bridge E-144B, Genesee Exp./I-390 SB	512.90	22.23	22' 2.76"	513.90	21.23	21' 2.76"
258.65	Bridge E-144C, I-390/590 EB	512.90	20.90	20' 10.8"	513.90	19.90	19' 10.8"
258.68	Bridge E-144D, I-390/590 WB	512.90	21.26	21' 3.12"	513.90	20.26	20' 3.12"
258.95	Bridge E-144E, Steam Pipeline	512.90	20.10	20' 1.2"	513.90	19.10	19' 1.2"
258.96	Bridge E-145, E Henrietta Road/SR 15A	512.90	20.10	20' 1.2"	513.90	19.10	19' 1.2"
259.30	Bridge E-145B, I-390 Ramp	512.90	23.96	23' 11.52"	513.90	22.96	22' 11.52"
259.37	Bridge E-146, W Henrietta Road/SR 15	512.90	24.70	24' 8.4"	513.90	23.70	23' 8.4"
259.88	Bridge E-146A, Kendrick Road	512.90	20.70	20' 8.4"	513.90	19.70	19' 8.4"
259.95	Guard Lock, East	512.90	17.00	17' 0"	513.90	16.00	16' 0"
260.02	Bridge E-147, Pedestrian	512.90	17.60	17' 7.2"	513.90	16.60	16' 7.2"
260.04	Bridge E-148, Pedestrian	512.90	17.47	17' 5.64"	513.90	16.47	16' 5.64"
260.13	Bridge E-149, Moore Road/Main Drive	512.90	17.70	17' 8.4"	513.90	16.70	16' 8.4"
260.29	Bridge E-150, Pedestrian	512.90	20.70	20' 8.4"	513.90	19.70	19' 8.4"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
260.40	Bridge E-151, Pedestrian	512.90	19.70	19' 8.4"	513.90	18.70	18' 8.4"
260.55	Junction - GENESEE RIVER	512.90					
260.58	Bridge E-157, Pedestrian	512.90	18.10	18' 1.2"	513.90	17.10	17' 1.2"
260.61	Bridge E-158, Abandoned Railroad	512.90	17.60	17' 7.2"	515.40	15.10	15' 1.2"
260.71	Bridge E-159, Scottsville Road/SR 383	512.90	20.10	20' 1.2"	515.40	17.60	17' 7.2"
261.02	Guard Lock, West	512.90	17.20	17' 2.4"	515.40	14.70	14' 8.4"
261.26	Bridge E-160, Abandoned Railroad	512.91	31.04	31' 0.48"	515.41	28.54	28' 6.48"
261.54*	Bridge E-161, Brooks Avenue/SR 204	512.92	26.59	26' 7.08"	515.41	25.10	25' 1.2"
262.24	Bridge E-161A, Pipeline	512.92	19.59	19' 7.08"	515.41	18.10	18' 1.2"
262.26	Bridge E-162, Railroad, RSR	512.92	16.87	16' 10.44"	514.79	15.00	15' 0"
262.27	Bridge E-162A, Pipeline	512.92	20.00	20' 0"	514.79	18.13	18' 1.56"
262.30	Bridge E-163, Chili Avenue/SR 33A	512.92	22.50	22' 6"	514.79	20.63	20' 7.56"
262.90	Bridge E-163A, Water Pipeline	512.92	22.50	22' 6"	514.79	20.63	20' 7.56"
262.91	Bridge E-164, Railroad, CSXT	512.93	20.10	20' 1.2"	514.78	18.25	18' 3"
262.92	Bridge E-164A, Gas Pipeline	512.93	20.15	20' 1.8"	514.76	18.32	18' 3.84"
263.03	Bridge E-165, Buffalo Road/SR 33	512.93	26.50	26' 6"	514.76	24.67	24' 8.04"
263.04	Bridge E-165D, Gas & Water Pipelines	512.93	29.04	29' 0.48"	514.76	27.21	27' 2.52"
263.54	Bridge E-165A, I-490 EB	512.93	17.26	17' 3.12"	514.69	15.50	15' 6"
263.58	Bridge E-165B, I-490 WB	512.93	17.26	17' 3.12"	514.69	15.50	15' 6"
264.07	Bridge E-165C, Water Pipeline	512.95	19.98	19' 11.76"	514.69	18.24	18' 2.88"
264.08	Bridge E-166, Lyell Avenue/SR 31	512.95	19.98	19' 11.76"	514.69	18.24	18' 2.88"
264.51	Bridge E-167, Railroad, CSXT	512.95	17.37	17' 4.44"	514.70	15.62	15' 7.44"
264.53	Bridge E-168, Abandoned Railroad	512.96	18.15	18' 1.8"	514.71	16.40	16' 4.8"
264.66	Bridge E-169, Lee Road/CR 154	512.96	18.16	18' 1.92"	514.71	16.41	16' 4.92"
264.81	Bridge E-169A, I-390 NB	512.70	20.87	20' 10.44"	514.45	19.12	19' 1.44"
264.83	Bridge E-169B, I-390 SB	512.70	20.87	20' 10.44"	514.45	19.12	19' 1.44"
265.94	Bridge E-170, Long Pond Road/CR 136	512.98	22.00	22' 0"	514.71	20.27	20' 3.24"
267.64	Bridge E-171, Elmgrove Road/SR 386	512.98	16.98	16' 11.76"	514.75	15.21	15' 2.52"
268.75	Bridge E-172, Manitou Road/CR 208	513.03	21.82	21' 9.84"	514.79	20.06	20' 0.72"
269.83	Bridge E-173, Gillett Road/CR 210	513.06	16.97	16' 11.64"	514.81	15.22	15' 2.64"
269.93	Guard Gate, Spencerport	513.06	16.65	16' 7.8"	514.81	14.90	14' 10.8"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
271.28	Bridge E-174, Lift Bridge , Union Street/SR 259	513.08	17.01	17' 0.12"	514.82	15.27	15' 3.24"
271.47	Bridge E-175, Martha Street	513.09	16.97	16' 11.64"	514.83	15.23	15' 2.76"
272.49	Bridge E-176, Trimmer Road	513.10	16.98	16' 11.76"	514.82	15.26	15' 3.12"
274.21	Bridge E-178, Lift Bridge , Washington Street/CR 212	513.23	16.98	16' 11.76"	514.93	15.28	15' 3.36"
275.28	Bridge E-179, Gallup Road/CR 244	513.27	16.94	16' 11.28"	514.93	15.28	15' 3.36"
276.66	Bridge E-180, Sweden Walker Road/SR 260	513.31	16.95	16' 11.4"	514.95	15.31	15' 3.72"
278.76	Bridge E-181, Lift Bridge , Park Avenue	513.37	16.92	16' 11.04"	514.98	15.31	15' 3.72"
278.93	Bridge E-182, Lift Bridge , Main Street/SR 19	513.38	16.75	16' 9"	514.98	15.15	15' 1.8"
279.21	Bridge E-183, Smith Street	513.39	16.84	16' 10.08"	514.98	15.25	15' 3"
279.80	Guard Gate, Brockport	513.39	16.60	16' 7.2"	514.98	15.01	15' 0.12"
280.47	Bridge E-184, Redman Road/SR 31	513.43	16.95	16' 11.4"	515.00	15.38	15' 4.56"
282.03	Bridge E-185, Brockport-Holley Road/SR 31	513.44	17.04	17' 0.48"	514.98	15.50	15' 6"
283.00	Bridge E-186, Bennetts Corners Road	513.44	16.89	16' 10.68"	514.96	15.37	15' 4.44"
283.48	Bridge E-187, Lift Bridge , East Avenue	513.45	16.76	16' 9.12"	514.95	15.26	15' 3.12"
284.14	Bridge E-188, N Main Street/SR 237	513.50	16.76	16' 9.12"	515.00	15.26	15' 3.12"
284.16	Guard Gate, Holley	513.50	16.50	16' 6"	515.00	15.00	15' 0"
285.00	Bridge E-189, Telegraph Road/CR 54	513.50	16.83	16' 9.96"	514.99	15.34	15' 4.08"
285.48	Bridge E-190, Groth Road	513.60	16.82	16' 9.84"	515.08	15.34	15' 4.08"
286.58	Bridge E-191, Lift Bridge , Hulberton Road/CR 24	513.66	16.76	16' 9.12"	515.14	15.28	15' 3.36"
287.89	Bridge E-192, Fancher Road/SR 387	513.69	16.34	16' 4.08"	514.71	15.32	15' 3.84"
288.65	Bridge E-193, Hindsburg Road	513.71	16.66	16' 7.92"	515.11	15.26	15' 3.12"
289.15	Bridge E-194, Transit Road/CR 64	513.72	16.69	16' 8.28"	515.12	15.29	15' 3.48"
290.18	Bridge E-195, Densmore Road/CR 11	513.76	16.67	16' 8.04"	515.14	15.29	15' 3.48"
290.88	Bridge E-196, Keitel Road	513.79	16.65	16' 7.8"	515.15	15.29	15' 3.48"
291.72	Bridge E-197, Butts Road	513.81	16.64	16' 7.68"	515.16	15.29	15' 3.48"
292.37	Bridge E-198, Brown Street	513.84	16.72	16' 8.64"	515.17	15.39	15' 4.68"
292.38	Bridge E-199, Lift Bridge , Ingersoll Street	513.87	16.59	16' 7.08"	515.20	15.26	15' 3.12"
293.15	Bridge E-200, Lift Bridge , N Main Street/SR 98	513.87	16.57	16' 6.84"	515.20	15.24	15' 2.88"
294.26	Bridge E-201, Lattins Farm Drive	513.87	16.59	16' 7.08"	515.16	15.30	15' 3.6"
294.29	Guard Gate, Albion	513.90	16.65	16' 7.8"	515.20	15.35	15' 4.2"
294.86	Bridge E-202, Gaines Basin Road/CR 88	513.90	16.65	16' 7.8"	515.20	15.35	15' 4.2"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
296.41	Bridge E-203, Lift Bridge , Eagle Harbor Road/CR 21	513.92	16.58	16' 6.96"	515.13	15.37	15' 4.44"
297.16	Bridge E-204, Allens Bridge Road	513.93	16.64	16' 7.68"	515.13	15.44	15' 5.28"
297.65	Bridge E-205, Presbyterian Road	513.95	16.57	16' 6.84"	515.14	15.38	15' 4.56"
299.46	Bridge E-205A, Pipeline	514.01	18.79	18' 9.48"	515.18	17.62	17' 7.44"
299.47	Bridge E-206, Lift Bridge , Knowlesville Road/CR 10	514.01	16.57	16' 6.84"	515.18	15.40	15' 4.8"
301.84	Bridge E-207 Beals Road	514.10	16.51	16' 6.12"	515.23	15.38	15' 4.56"
302.64	Bridge E-208 Bates Road	514.12	16.50	16' 6"	515.27	15.35	15' 4.2"
302.65	Guard Gate, Medina	514.15	16.70	16' 8.4"	515.29	15.56	15' 6.72"
303.45	Bridge E-209, Horan Road/Bank Street	514.15	16.71	16' 8.52"	515.29	15.57	15' 6.84"
303.88	Bridge E-210, Glenwood Avenue/Eagle Street	514.16	16.70	16' 8.4"	515.28	15.58	15' 6.96"
304.13	Bridge E-211, Lift Bridge , Prospect Avenue/SR 63	514.17	16.56	16' 6.72"	515.29	15.44	15' 5.28"
305.63	Bridge E-212, Marshall Road	514.23	16.48	16' 5.76"	515.28	15.43	15' 5.16"
307.34	Guard Gate, Middleport	514.37	16.30	16' 3.6"	514.37	16.30	16' 3.6"
308.87	Bridge E-216, Lift Bridge , Main Street/SR 271	514.37	16.68	16' 8.16"	514.37	16.68	16' 8.16"
309.59	Bridge E-217, S Carmen Road/CR 139	514.40	16.56	16' 6.72"	514.40	16.56	16' 6.72"
312.54	Bridge E-220, Slayton Settlement Road	514.52	16.76	16' 9.12"	514.52	16.76	16' 9.12"
313.75	Guard Gate, Gasport	514.59	16.65	16' 7.8"	514.59	16.65	16' 7.8"
314.15	Bridge E-222, Lift Bridge, Hartland Road/CR 108	514.59	16.65	16' 7.8"	514.59	16.65	16' 7.8"
315.21	Bridge E-223, Orangeport Road	514.64	16.67	16' 8.04"	514.64	16.67	16' 8.04"
317.15	Bridge E-224, N Canal Road/CR 77	514.73	16.62	16' 7.44"	514.73	16.62	16' 7.44"
318.02	Bridge E-225, Day Road	514.77	16.63	16' 7.56"	514.77	16.63	16' 7.56"
318.92	Bridge E-226, Cold Springs Road	514.81	16.63	16' 7.56"	514.81	16.63	16' 7.56"
319.50	Bridge E-228, Lake Avenue/Murphy Way	514.85	16.61	16' 7.32"	514.85	16.61	16' 7.32"
319.92	Bridge E-229, Lift Bridge , N Adams Street	514.86	16.67	16' 8.04"	514.86	16.67	16' 8.04"
320.11	Bridge E-230, Lift Bridge , Exchange Street/Mill Street	514.86	16.67	16' 8.04"	514.86	16.67	16' 8.04"
320.43	Bridge E-231, Railroad, FRR	514.87	48.00	48' 0"	514.87	48.00	48' 0"
320.67	Bridge E-232, Pine Street	539.50	44.51	44' 6.12"	539.50	44.51	44' 6.12"
320.82	Bridge E-233, Main Street	564.00	21.20	21' 2.4"	570.00	15.20	15' 2.4"
320.97	Bridge E-234, Transit Street/SR 78 & 31	564.00	25.70	25' 8.4"	570.00	19.70	19' 8.4"
321.25	Bridge E-235, Stevens Street	564.05	26.95	26' 11.4"	570.00	21.00	21' 0"
322.05	Bridge E-235A, Water Pipeline	564.05	26.95	26' 11.4"	570.00	21.00	21' 0"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (**WESTERN HALF**) (Statute Miles)

(SM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
322.16	Bridge E-236A, Lockport Bypass/SR 93	564.17	21.90	21' 10.8"	570.00	16.07	16' 0.84"
323.79	Bridge E-237, Robinson Road/CR 123	564.38	25.62	25' 7.44"	570.00	20.00	20' 0"
325.09	Guard Gate, Pendleton	564.38	20.62	20' 7.44"	570.00	15.00	15' 0"
325.31	Bridge E-238A, Fiegle Road/CR 121	564.38	25.00	25' 0"	570.00	19.38	19' 4.56"
327.34	Bridge E-240, Tonawanda Creek Road/CR 60	564.67	25.33	25' 3.96"	570.00	20.00	20' 0"
329.96	Bridge E-241A, Campbell Blvd/SR 270	564.87	25.13	25' 1.56"	570.00	20.00	20' 0"
331.44	Bridge E-242, Bear Ridge Road/CR 96	564.99	25.01	25' 0.12"	570.00	20.00	20' 0"
333.62	Bridge E-242A, Niagara Falls Blvd/US 62	565.15	22.32	22' 3.84"	570.00	17.47	17' 5.64"
334.96	Bridge E-243A, E Robinson Street	565.22	24.00	24' 0"	570.00	19.22	19' 2.64"
337.55	Bridge E-244A, SR 425 NB	565.22	20.00	20' 0"	570.00	15.22	15' 2.64"
337.57	Bridge E-244B, SR 425 SB	565.22	20.00	20' 0"	570.00	15.22	15' 2.64"
338.14	Bridge E-246, Railroad, CSXT	565.50	20.05	20' 0.6"	570.00	15.55	15' 6.6"
338.31	Bridge E-247, Delaware Street/SR 384	565.50	19.21	19' 2.52"	570.00	14.71	14' 8.52"
338.40	Junction - ELLICOTT CREEK						
338.44	Bridge E-248, Webster Street	565.50	20.00	20' 0"	570.00	15.50	15' 6"
338.54	Bridge E-249, Seymore Street/SR 265	565.50	24.00	24' 0"	570.00	19.50	19' 6"

* Normal pool level is the water level typically maintained for that canal segment.
The **RED BOLDED** Numerals indicate the minimum clearances encountered for this canal segment.

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
141.11	Bridge E-72, Belgium Road/SR 31	363.90	21.31	21' 3.72"	366.58	18.63	18' 7.56"
145.21	Bridge E-73, Cold Springs Road/SR 370	363.90	22.87	22' 10.44"	366.77	20.00	20' 0"
145.28	Junction - ONONDAGA LAKE						
148.17	Bridge E-77, Railroad, CSXT	363.90	19.57	19' 6.84"	367.20	16.27	16' 3.24"
149.78	Bridge E-78, Syracuse Street/SR 48	363.90	18.80	18' 9.6"	367.20	15.50	15' 6"
149.83	Bridge E-78B, Utility (Lock E24)	374.00	19.68	19' 8.16"	377.30	16.38	16' 4.56"
149.85	Guard Gate (Lock E24)	374.00	24.10	24' 1.2"	377.30	20.80	20' 9.6"
151.25	Bridge E-78A, SR 31 & 690	374.00	23.30	23' 3.6"	377.30	20.00	20' 0"
157.13	Bridge E-79, Plainville Road/CR 32	374.00	20.57	20' 6.84"	377.81	16.76	16' 9.12"
160.50	Bridge E-80, River Road/CR 16	374.00	25.40	25' 4.8"	377.98	21.42	21' 5.04"
162.15	Bridge E-81, Bonta Bridge Road/CR 14	374.00	19.68	19' 8.16"	378.18	15.50	15' 6"
164.12	Bridge E-83, SR 34 (Weedsport)	374.00	25.30	25' 3.6"	378.56	20.74	20' 8.88"
167.47	Bridge E-84, O'Neil Road/CR 19B&C	374.00	20.63	20' 7.56"	379.04	15.59	15' 7.08"
168.36	Bridge E-85, Conquest Road/SR 38	374.00	25.00	25' 0"	379.00	20.00	20' 0"
169.61	Bridge E-86, Howland Island Road/CR 139	374.00	20.51	20' 6.12"	379.00	15.51	15' 6.12"
171.24	Bridge E-87, Railroad, CSXT	374.00	21.19	21' 2.28"	379.10	16.09	16' 1.08"
173.89	Bridge E-90, SR 31	374.00	25.80	25' 9.6"	379.70	20.10	20' 1.2"
174.99	Junction - CAYUGA-SENECA CANAL						
176.52	Bridge E-90A, Utility (Lock E25)	380.00	18.45	18' 5.4"	382.95	15.50	15' 6"
176.60	Bridge E-91, SR 89	380.00	25.55	25' 6.6"	382.95	22.60	22' 7.2"
178.65	Bridge E-92, Armitage Road/CR 105	380.00	18.45	18' 5.4"	382.95	15.50	15' 6"
#VALUE!	Bridge E-92A, Utility (Lock E26)	386.00	20.00	20' 0"	386.50	19.00	19' 0"
181.93	Bridge E-93, Abandoned Railroad	386.00	16.13	16' 1.56"	386.50	15.63	15' 7.56"
183.63	Bridge E-94, Glassgow Street/SR 414	386.00	20.50	20' 6"	386.50	20.00	20' 0"
189.23	Bridge E-96, Lyons-Mar Road/CR 344	386.00	18.58	18' 6.96"	386.50	18.08	18' 0.96"
190.02	Bridge E-97, Abandoned Railroad	386.00	17.72	17' 8.64"	387.64	15.78	15' 9.36"
191.12	Bridge E-99, Railroad, CSXT	386.00	18.20	18' 2.4"	388.17	16.03	16' 0.36"
191.41	Bridge E-99A, Forgham Street/SR 31	386.00	25.67	25' 8.04"	391.67	20.00	20' 0"
191.84	Bridge E-100, Geneva Street/SR 14	386.00	19.86	19' 10.32"	390.36	15.50	15' 6"
192.05	Bridge E-101, Leach Road (Lock 27)	398.50	18.20	18' 2.4"	400.70	16.00	16' 0"
192.09	Bridge E-103, Gas Pipeline	398.50	30.75	30' 9"	400.70	28.55	28' 6.6"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
193.10	Bridge E-104, Dry Dock Road	398.50	18.85	18' 10.2"	400.70	16.65	16' 7.8"
193.15	Bridge E-104A, Utility (Lock E28A)	418.00	16.37	16' 4.44"	418.87	15.50	15' 6"
194.39	Bridge E-105, County House Road	418.00	16.90	16' 10.8"	418.87	16.03	16' 0.36"
195.22	Bridge E-106, Railroad, CSXT	418.00	16.37	16' 4.44"	418.87	15.50	15' 6"
196.57	Bridge E-108, N Clinton Street	418.00	16.95	16' 11.4"	418.87	16.08	16' 0.96"
196.61	Bridge E-108A, Utility (Lock 28B)	430.00	17.64	17' 7.68"	432.00	15.64	15' 7.68"
196.72	Bridge E-109, Abandoned Railroad	430.00	27.99	27' 11.88"	432.00	25.99	25' 11.88"
196.96	Bridge E-110, East Avenue	430.00	18.00	18' 0"	432.00	16.00	16' 0"
197.08	Bridge E-111, Main Street/SR 88	430.00	17.68	17' 8.16"	432.00	15.68	15' 8.16"
197.66	Bridge E-112, Edgett Street	430.00	18.01	18' 0.12"	432.00	16.01	16' 0.12"
198.58	Bridge E-113, Whitbeck Road/CR 224	430.00	17.68	17' 8.16"	432.00	15.68	15' 8.16"
199.98	Bridge E-114, Port Gibson Road	430.00	17.68	17' 8.16"	432.00	15.68	15' 8.16"
202.07	Bridge E-115, Galloway Road	430.00	22.70	22' 8.4"	432.10	20.60	20' 7.2"
203.83	Bridge E-116, Pal-Mar Road/SR 21	430.00	22.10	22' 1.2"	432.10	20.00	20' 0"
204.26	Bridge E-117, Division Street	430.00	17.64	17' 7.68"	432.10	15.54	15' 6.48"
204.45	Bridge E-118, Maple Avenue/CR 210	430.00	17.93	17' 11.16"	432.10	15.83	15' 9.96"
205.08	Bridge E-118A, Utility (Lock E29)	430.00	17.60	17' 7.2"	432.10	15.50	15' 6"
205.55	Bridge E-119, Walworth Road/CR 208	446.00	16.25	16' 3"	446.60	15.65	15' 7.8"
207.11	Bridge E-120, O'Neil Road/Quaker Road	446.00	16.17	16' 2.04"	446.60	15.57	15' 6.84"
207.33	Bridge E-120A, Pipeline	446.00	21.00	21' 0"	446.60	20.40	20' 4.8"
207.62	Bridge E-121, Ontario Center Road/SR 31F	446.00	20.60	20' 7.2"	446.60	20.00	20' 0"
207.70	Bridge E-121A, Utility (Lock E30)	462.40	22.00	22' 0"	462.50	21.00	21' 0"
208.54	Bridge E-122, Canandaigua Road	462.40	16.18	16' 2.16"	462.50	16.08	16' 0.96"
210.35	Bridge E-123, Wayneport Road/CR 206	462.40	15.62	15' 7.44"	432.50	15.52	15' 6.24"
212.32	Bridge E-124, Lyndon Road/CR 44	462.40	20.30	20' 3.6"	463.00	19.70	19' 8.4"
213.65	Bridge E125A, Pedestrian	462.40	17.29	17' 3.48"	463.00	16.69	16' 8.28"
213.86	Bridge E-126, Turk Hill Road/SR 31F	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
214.22	Bridge E-127, Parker Street	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
214.35	Bridge E-128, Lift Bridge, Main Street/SR 250	462.40	16.36	16' 4.32"	463.00	15.76	15' 9.12"
215.17	Bridge E-129, W Church Street/SR 31F	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
216.48	Bridge E-130, Aryault Road/CR 21	462.40	16.58	16' 6.96"	463.00	15.98	15' 11.76"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
216.65	Bridge E-130A Water Pipeline	462.40	17.24	17' 2.88"	463.00	16.64	16' 7.68"
216.78	Bridge E-131, Palmyra Road/SR 31	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
217.21	Guard Gate, Bushnell's Basin	462.40	16.00	16' 0"	463.00	15.40	15' 4.8"
217.50	Bridge E-131A, I-490	462.40	20.15	20' 1.8"	463.00	19.55	19' 6.6"
217.77	Bridge E-133, Marsh Road/CR 38	462.40	16.14	16' 1.68"	463.00	15.54	15' 6.48"
219.29	Guard Gate, Cartersville	462.40	16.58	16' 6.96"	463.00	15.98	15' 11.76"
219.61	Bridge E-136, Mitchell Road	462.40	16.18	16' 2.16"	463.00	15.58	15' 6.96"
220.05	Bridge E-137, State Street/SR 31	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
220.29	Bridge E-138, Main Street/SR 96	462.40	16.10	16' 1.2"	463.00	15.50	15' 6"
220.44	Bridge E-139, Railroad, CSXT	462.40	15.65	15' 7.8"	463.00	15.05	15' 0.6"
220.64	Bridge E-140, Monroe Avenue/SR 31	462.40	21.10	21' 1.2"	463.00	20.50	20' 6"
221.65	Bridge E-141, Clover Street/SR 65	462.40	20.00	20' 0"	463.00	19.40	19' 4.8"
221.66	Bridge E-141A, Utility (Lock E32)	462.40	27.10	27' 1.2"	463.00	26.50	26' 6"
222.77	Bridge E-142, Edgewood Avenue/CR 102	487.50	17.50	17' 6"	488.00	17.00	17' 0"
222.81	Bridge E-142A, Utility (Lock E33)	487.50	25.10	25' 1.2"	488.00	24.60	24' 7.2"
223.33	Bridge E-143, S Winton Road/CR 98	512.90	21.35	21' 4.2"	513.90	20.35	20' 4.2"
224.22	Bridge E-144, Clinton Avenue S./CR100	512.90	16.58	16' 6.96"	513.90	15.58	15' 6.96"
224.27	Bridge E-144A, Genesee Exp. Exit to I-390/I-590	512.90	21.89	21' 10.68"	513.90	20.89	20' 10.68"
224.32	Bridge E-144B, Genesee Exp./I-390 SB	512.90	22.23	22' 2.76"	513.90	21.23	21' 2.76"
224.76	Bridge E-144C, I-390/590 EB	512.90	20.90	20' 10.8"	513.90	19.90	19' 10.8"
224.79	Bridge E-144D, I-390/590 WB	512.90	21.26	21' 3.12"	513.90	20.26	20' 3.12"
225.02	Bridge E-144E, Steam Pipeline	512.90	20.10	20' 1.2"	513.90	19.10	19' 1.2"
225.03	Bridge E-145, E Henrietta Road/SR 15A	512.90	20.10	20' 1.2"	513.90	19.10	19' 1.2"
225.33	Bridge E-145B, I-390 Ramp	512.90	23.96	23' 11.52"	513.90	22.96	22' 11.52"
225.39	Bridge E-146, W Henrietta Road/SR 15	512.90	24.70	24' 8.4"	513.90	23.70	23' 8.4"
225.83	Bridge E-146A, Kendrick Road	512.90	20.70	20' 8.4"	513.90	19.70	19' 8.4"
225.89	Guard Lock, East	512.90	17.00	17' 0"	513.90	16.00	16' 0"
225.95	Bridge E-147, Pedestrian	512.90	17.60	17' 7.2"	513.90	16.60	16' 7.2"
225.97	Bridge E-148, Pedestrian	512.90	17.47	17' 5.64"	513.90	16.47	16' 5.64"
226.05	Bridge E-149, Moore Road/Main Drive	512.90	17.70	17' 8.4"	513.90	16.70	16' 8.4"
226.19	Bridge E-150, Pedestrian	512.90	20.70	20' 8.4"	513.90	19.70	19' 8.4"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
226.28	Bridge E-151, Pedestrian	512.90	19.70	19' 8.4"	513.90	18.70	18' 8.4"
226.41	Junction - GENESEE RIVER	512.90					
226.44	Bridge E-157, Pedestrian	512.90	18.10	18' 1.2"	513.90	17.10	17' 1.2"
226.46	Bridge E-158, Abandoned Railroad	512.90	17.60	17' 7.2"	515.40	15.10	15' 1.2"
226.55	Bridge E-159, Scottsville Road/SR 383	512.90	20.10	20' 1.2"	515.40	17.60	17' 7.2"
226.82	Guard Lock, West	512.90	17.20	17' 2.4"	515.40	14.70	14' 8.4"
227.03	Bridge E-160, Abandoned Railroad	512.91	31.04	31' 0.48"	515.41	28.54	28' 6.48"
#VALUE!	Bridge E-161, Brooks Avenue/SR 204	512.92	26.59	26' 7.08"	515.41	25.10	25' 1.2"
227.88	Bridge E-161A, Pipeline	512.92	19.59	19' 7.08"	515.41	18.10	18' 1.2"
227.90	Bridge E-162, Railroad, RSR	512.92	16.87	16' 10.44"	514.79	15.00	15' 0"
227.91	Bridge E-162A, Pipeline	512.92	20.00	20' 0"	514.79	18.13	18' 1.56"
227.93	Bridge E-163, Chili Avenue/SR 33A	512.92	22.50	22' 6"	514.79	20.63	20' 7.56"
228.45	Bridge E-163A, Water Pipeline	512.92	22.50	22' 6"	514.79	20.63	20' 7.56"
228.46	Bridge E-164, Railroad, CSXT	512.93	20.10	20' 1.2"	514.78	18.25	18' 3"
228.47	Bridge E-164A, Gas Pipeline	512.93	20.15	20' 1.8"	514.76	18.32	18' 3.84"
228.57	Bridge E-165, Buffalo Road/SR 33	512.93	26.50	26' 6"	514.76	24.67	24' 8.04"
228.58	Bridge E-165D, Gas & Water Pipelines	512.93	29.04	29' 0.48"	514.76	27.21	27' 2.52"
229.01	Bridge E-165A, I-490 EB	512.93	17.26	17' 3.12"	514.69	15.50	15' 6"
229.04	Bridge E-165B, I-490 WB	512.93	17.26	17' 3.12"	514.69	15.50	15' 6"
229.47	Bridge E-165C, Water Pipeline	512.95	19.98	19' 11.76"	514.69	18.24	18' 2.88"
229.48	Bridge E-166, Lyell Avenue/SR 31	512.95	19.98	19' 11.76"	514.69	18.24	18' 2.88"
229.85	Bridge E-167, Railroad, CSXT	512.95	17.37	17' 4.44"	514.70	15.62	15' 7.44"
229.87	Bridge E-168, Abandoned Railroad	512.96	18.15	18' 1.8"	514.71	16.40	16' 4.8"
229.98	Bridge E-169, Lee Road/CR 154	512.96	18.16	18' 1.92"	514.71	16.41	16' 4.92"
230.11	Bridge E-169A, I-390 NB	512.70	20.87	20' 10.44"	514.45	19.12	19' 1.44"
230.13	Bridge E-169B, I-390 SB	512.70	20.87	20' 10.44"	514.45	19.12	19' 1.44"
231.10	Bridge E-170, Long Pond Road/CR 136	512.98	22.00	22' 0"	514.71	20.27	20' 3.24"
232.57	Bridge E-171, Elmgrove Road/SR 386	512.98	16.98	16' 11.76"	514.75	15.21	15' 2.52"
233.54	Bridge E-172, Manitou Road/CR 208	513.03	21.82	21' 9.84"	514.79	20.06	20' 0.72"
234.48	Bridge E-173, Gillett Road/CR 210	513.06	16.97	16' 11.64"	514.81	15.22	15' 2.64"
234.56	Guard Gate, Spencerport	513.06	16.65	16' 7.8"	514.81	14.90	14' 10.8"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
235.74	Bridge E-174, Lift Bridge, Union Street/SR 259	513.08	17.01	17' 0.12"	514.82	15.27	15' 3.24"
235.90	Bridge E-175, Martha Street	513.09	16.97	16' 11.64"	514.83	15.23	15' 2.76"
236.79	Bridge E-176, Trimmer Road	513.10	16.98	16' 11.76"	514.82	15.26	15' 3.12"
238.28	Bridge E-178, Lift Bridge, Washington Street/CR 212	513.23	16.98	16' 11.76"	514.93	15.28	15' 3.36"
239.21	Bridge E-179, Gallup Road/CR 244	513.27	16.94	16' 11.28"	514.93	15.28	15' 3.36"
240.41	Bridge E-180, Sweden Walker Road/SR 260	513.31	16.95	16' 11.4"	514.95	15.31	15' 3.72"
242.24	Bridge E-181, Lift Bridge, Park Avenue	513.37	16.92	16' 11.04"	514.98	15.31	15' 3.72"
242.38	Bridge E-182, Lift Bridge, Main Street/SR 19	513.38	16.75	16' 9"	514.98	15.15	15' 1.8"
242.63	Bridge E-183, Smith Street	513.39	16.84	16' 10.08"	514.98	15.25	15' 3"
243.14	Guard Gate, Brockport	513.39	16.60	16' 7.2"	514.98	15.01	15' 0.12"
243.72	Bridge E-184, Redman Road/SR 31	513.43	16.95	16' 11.4"	515.00	15.38	15' 4.56"
245.08	Bridge E-185, Brockport-Holley Road/SR 31	513.44	17.04	17' 0.48"	514.98	15.50	15' 6"
245.92	Bridge E-186, Bennetts Corners Road	513.44	16.89	16' 10.68"	514.96	15.37	15' 4.44"
246.34	Bridge E-187, Lift Bridge, East Avenue	513.45	16.76	16' 9.12"	514.95	15.26	15' 3.12"
246.91	Bridge E-188, N Main Street/SR 237	513.50	16.76	16' 9.12"	515.00	15.26	15' 3.12"
246.93	Guard Gate, Holley	513.50	16.50	16' 6"	515.00	15.00	15' 0"
247.66	Bridge E-189, Telegraph Road/CR 54	513.50	16.83	16' 9.96"	514.99	15.34	15' 4.08"
248.08	Bridge E-190, Groth Road	513.60	16.82	16' 9.84"	515.08	15.34	15' 4.08"
249.03	Bridge E-191, Lift Bridge, Hulberton Road/CR 24	513.66	16.76	16' 9.12"	515.14	15.28	15' 3.36"
250.17	Bridge E-192, Fancher Road/SR 387	513.69	16.34	16' 4.08"	514.71	15.32	15' 3.84"
250.83	Bridge E-193, Hindsburg Road	513.71	16.66	16' 7.92"	515.11	15.26	15' 3.12"
251.26	Bridge E-194, Transit Road/CR 64	513.72	16.69	16' 8.28"	515.12	15.29	15' 3.48"
252.16	Bridge E-195, Densmore Road/CR 11	513.76	16.67	16' 8.04"	515.14	15.29	15' 3.48"
252.77	Bridge E-196, Keitel Road	513.79	16.65	16' 7.8"	515.15	15.29	15' 3.48"
253.50	Bridge E-197, Butts Road	513.81	16.64	16' 7.68"	515.16	15.29	15' 3.48"
254.06	Bridge E-198, Brown Street	513.84	16.72	16' 8.64"	515.17	15.39	15' 4.68"
254.07	Bridge E-199, Lift Bridge, Ingersoll Street	513.87	16.59	16' 7.08"	515.20	15.26	15' 3.12"
254.74	Bridge E-200, Lift Bridge, N Main Street/SR 98	513.87	16.57	16' 6.84"	515.20	15.24	15' 2.88"
255.70	Bridge E-201, Lattins Farm Drive	513.87	16.59	16' 7.08"	515.16	15.30	15' 3.6"
255.73	Guard Gate, Albion	513.90	16.65	16' 7.8"	515.20	15.35	15' 4.2"
256.23	Bridge E-202, Gaines Basin Road/CR 88	513.90	16.65	16' 7.8"	515.20	15.35	15' 4.2"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
257.57	Bridge E-203, Lift Bridge, Eagle Harbor Road/CR 21	513.92	16.58	16' 6.96"	515.13	15.37	15' 4.44"
258.22	Bridge E-204, Allens Bridge Road	513.93	16.64	16' 7.68"	515.13	15.44	15' 5.28"
258.65	Bridge E-205, Presbyterian Road	513.95	16.57	16' 6.84"	515.14	15.38	15' 4.56"
260.22	Bridge E-205A, Pipeline	514.01	18.79	18' 9.48"	515.18	17.62	17' 7.44"
260.23	Bridge E-206, Lift Bridge, Knowlesville Road/CR 10	514.01	16.57	16' 6.84"	515.18	15.40	15' 4.8"
262.29	Bridge E-207 Beals Road	514.10	16.51	16' 6.12"	515.23	15.38	15' 4.56"
262.99	Bridge E-208 Bates Road	514.12	16.50	16' 6"	515.27	15.35	15' 4.2"
263.00	Guard Gate, Medina	514.15	16.70	16' 8.4"	515.29	15.56	15' 6.72"
263.69	Bridge E-209, Horan Road/Bank Street	514.15	16.71	16' 8.52"	515.29	15.57	15' 6.84"
264.06	Bridge E-210, Glenwood Avenue/Eagle Street	514.16	16.70	16' 8.4"	515.28	15.58	15' 6.96"
264.28	Bridge E-211, Lift Bridge, Prospect Avenue/SR 63	514.17	16.56	16' 6.72"	515.29	15.44	15' 5.28"
265.59	Bridge E-212, Marshall Road	514.23	16.48	16' 5.76"	515.28	15.43	15' 5.16"
267.07	Guard Gate, Middleport	514.37	16.30	16' 3.6"	514.37	16.30	16' 3.6"
268.40	Bridge E-216, Lift Bridge, Main Street/SR 271	514.37	16.68	16' 8.16"	514.37	16.68	16' 8.16"
269.03	Bridge E-217, S Carmen Road/CR 139	514.40	16.56	16' 6.72"	514.40	16.56	16' 6.72"
271.59	Bridge E-220, Slayton Settlement Road	514.52	16.76	16' 9.12"	514.52	16.76	16' 9.12"
272.64	Guard Gate, Gasport	514.59	16.65	16' 7.8"	514.59	16.65	16' 7.8"
272.99	Bridge E-222, Lift Bridge, Hartland Road/CR 108	514.59	16.65	16' 7.8"	514.59	16.65	16' 7.8"
273.91	Bridge E-223, Orangeport Road	514.64	16.67	16' 8.04"	514.64	16.67	16' 8.04"
275.60	Bridge E-224, N Canal Road/CR 77	514.73	16.62	16' 7.44"	514.73	16.62	16' 7.44"
276.35	Bridge E-225, Day Road	514.77	16.63	16' 7.56"	514.77	16.63	16' 7.56"
277.13	Bridge E-226, Cold Springs Road	514.81	16.63	16' 7.56"	514.81	16.63	16' 7.56"
277.64	Bridge E-228, Lake Avenue/Murphy Way	514.85	16.61	16' 7.32"	514.85	16.61	16' 7.32"
278.00	Bridge E-229, Lift Bridge, N Adams Street	514.86	16.67	16' 8.04"	514.86	16.67	16' 8.04"
278.17	Bridge E-230, Lift Bridge, Exchange Street/Mill Street	514.86	16.67	16' 8.04"	514.86	16.67	16' 8.04"
278.45	Bridge E-231, Railroad, FRR	514.87	48.00	48' 0"	514.87	48.00	48' 0"
278.65	Bridge E-232, Pine Street	539.50	44.51	44' 6.12"	539.50	44.51	44' 6.12"
278.78	Bridge E-233, Main Street	564.00	21.20	21' 2.4"	570.00	15.20	15' 2.4"
278.92	Bridge E-234, Transit Street/SR 78 & 31	564.00	25.70	25' 8.4"	570.00	19.70	19' 8.4"
279.16	Bridge E-235, Stevens Street	564.05	26.95	26' 11.4"	570.00	21.00	21' 0"
279.85	Bridge E-235A, Water Pipeline	564.05	26.95	26' 11.4"	570.00	21.00	21' 0"

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Nautical Miles)

(NM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance		Maximum Pool Level	Maximum Pool Vertical Clearance	
279.95	Bridge E-236A, Lockport Bypass/SR 93	564.17	21.90	21' 10.8"	570.00	16.07	16' 0.84"
281.37	Bridge E-237, Robinson Road/CR 123	564.38	25.62	25' 7.44"	570.00	20.00	20' 0"
282.50	Guard Gate, Pendleton	564.38	20.62	20' 7.44"	570.00	15.00	15' 0"
282.69	Bridge E-238A, Fiegle Road/CR 121	564.38	25.00	25' 0"	570.00	19.38	19' 4.56"
284.45	Bridge E-240, Tonawanda Creek Road/CR 60	564.67	25.33	25' 3.96"	570.00	20.00	20' 0"
286.73	Bridge E-241A, Campbell Blvd/SR 270	564.87	25.13	25' 1.56"	570.00	20.00	20' 0"
288.01	Bridge E-242, Bear Ridge Road/CR 96	564.99	25.01	25' 0.12"	570.00	20.00	20' 0"
289.91	Bridge E-242A, Niagara Falls Blvd/US 62	565.15	22.32	22' 3.84"	570.00	17.47	17' 5.64"
291.07	Bridge E-243A, E Robinson Street	565.22	24.00	24' 0"	570.00	19.22	19' 2.64"
293.32	Bridge E-244A, SR 425 NB	565.22	20.00	20' 0"	570.00	15.22	15' 2.64"
293.34	Bridge E-244B, SR 425 SB	565.22	20.00	20' 0"	570.00	15.22	15' 2.64"
293.84	Bridge E-246, Railroad, CSXT	565.50	20.05	20' 0.6"	570.00	15.55	15' 6.6"
293.98	Bridge E-247, Delaware Street/SR 384	565.50	19.21	19' 2.52"	570.00	14.71	14' 8.52"
294.06	Junction - ELLICOTT CREEK						
294.10	Bridge E-248, Webster Street	565.50	20.00	20' 0"	570.00	15.50	15' 6"
294.18	Bridge E-249, Seymore Street/SR 265	565.50	24.00	24' 0"	570.00	19.50	19' 6"

* Normal pool level is the water level typically maintained for that canal segment.

The **RED BOLDED** Numerals indicate the minimum clearances encountered for this canal segment.

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
261.34	Bridge E-72, Belgium Road/SR 31	110.92 meters	6.50 meters	111.73 meters	5.68 meters
268.92	Bridge E-73, Cold Springs Road/SR 370	110.92 meters	6.97 meters	111.79 meters	6.10 meters
269.05	Junction - ONONDAGA LAKE				
274.41	Bridge E-77, Railroad, CSXT	110.92 meters	5.96 meters	111.92 meters	4.96 meters
277.39	Bridge E-78, Syracuse Street/SR 48	110.92 meters	5.73 meters	111.92 meters	4.72 meters
277.48	Bridge E-78B, Utility (Lock E24)	114.00 meters	6.00 meters	115.00 meters	4.99 meters
277.52	Guard Gate (Lock E24)	114.00 meters	7.35 meters	115.00 meters	6.34 meters
280.12	Bridge E-78A, SR 31 & 690	114.00 meters	7.10 meters	115.00 meters	6.10 meters
291.00	Bridge E-79, Plainville Road/CR 32	114.00 meters	6.27 meters	115.16 meters	5.11 meters
297.25	Bridge E-80, River Road/CR 16	114.00 meters	7.74 meters	115.21 meters	6.53 meters
300.30	Bridge E-81, Bonta Bridge Road/CR 14	114.00 meters	6.00 meters	115.27 meters	4.72 meters
303.96	Bridge E-83, SR 34 (Weedsport)	114.00 meters	7.71 meters	115.39 meters	6.32 meters
310.15	Bridge E-84, O'Neil Road/CR 19B&C	114.00 meters	6.29 meters	115.53 meters	4.75 meters
311.81	Bridge E-85, Conquest Road/SR 38	114.00 meters	7.62 meters	115.52 meters	6.10 meters
314.11	Bridge E-86, Howland Island Road/CR 139	114.00 meters	6.25 meters	115.52 meters	4.73 meters
317.14	Bridge E-87, Railroad, CSXT	114.00 meters	6.46 meters	115.55 meters	4.90 meters
322.05	Bridge E-90, SR 31	114.00 meters	7.86 meters	115.73 meters	6.13 meters
324.09	Junction - CAYUGA-SENECA CANAL				
326.91	Bridge E-90A, Utility (Lock E25)	115.82 meters	5.62 meters	116.72 meters	4.72 meters
327.07	Bridge E-91, SR 89	115.82 meters	7.79 meters	116.72 meters	6.89 meters
330.87	Bridge E-92, Armitage Road/CR 105	115.82 meters	5.62 meters	116.72 meters	4.72 meters
#VALUE!	Bridge E-92A, Utility (Lock E26)	117.65 meters	6.10 meters	117.81 meters	5.79 meters
336.93	Bridge E-93, Abandoned Railroad	117.65 meters	4.92 meters	117.81 meters	4.76 meters
340.09	Bridge E-94, Glassgow Street/SR 414	117.65 meters	6.25 meters	117.81 meters	6.10 meters
350.45	Bridge E-96, Lyons-Mar Road/CR 344	117.65 meters	5.66 meters	117.81 meters	5.51 meters
351.92	Bridge E-97, Abandoned Railroad	117.65 meters	5.40 meters	118.15 meters	4.81 meters
353.96	Bridge E-99, Railroad, CSXT	117.65 meters	5.55 meters	118.31 meters	4.89 meters
354.49	Bridge E-99A, Forgham Street/SR 31	117.65 meters	7.82 meters	119.38 meters	6.10 meters
355.29	Bridge E-100, Geneva Street/SR 14	117.65 meters	6.05 meters	118.98 meters	4.72 meters
355.68	Bridge E-101, Leach Road (Lock 27)	121.46 meters	5.55 meters	122.13 meters	4.88 meters
355.75	Bridge E-103, Gas Pipeline	121.46 meters	9.37 meters	122.13 meters	8.70 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
357.63	Bridge E-104, Dry Dock Road	121.46 meters	5.75 meters	122.13 meters	5.07 meters
357.71	Bridge E-104A, Utility (Lock E28A)	127.41 meters	4.99 meters	127.67 meters	4.72 meters
360.01	Bridge E-105, County House Road	127.41 meters	5.15 meters	127.67 meters	4.89 meters
361.54	Bridge E-106, Railroad, CSXT	127.41 meters	4.99 meters	127.67 meters	4.72 meters
364.05	Bridge E-108, N Clinton Street	127.41 meters	5.17 meters	127.67 meters	4.90 meters
364.11	Bridge E-108A, Utility (Lock 28B)	131.06 meters	5.38 meters	131.67 meters	4.77 meters
364.32	Bridge E-109, Abandoned Railroad	131.06 meters	8.53 meters	131.67 meters	7.92 meters
364.77	Bridge E-110, East Avenue	131.06 meters	5.49 meters	131.67 meters	4.88 meters
364.98	Bridge E-111, Main Street/SR 88	131.06 meters	5.39 meters	131.67 meters	4.78 meters
366.06	Bridge E-112, Edgett Street	131.06 meters	5.49 meters	131.67 meters	4.88 meters
367.77	Bridge E-113, Whitbeck Road/CR 224	131.06 meters	5.39 meters	131.67 meters	4.78 meters
370.36	Bridge E-114, Port Gibson Road	131.06 meters	5.39 meters	131.67 meters	4.78 meters
374.24	Bridge E-115, Galloway Road	131.06 meters	6.92 meters	131.70 meters	6.28 meters
377.49	Bridge E-116, Pal-Mar Road/SR 21	131.06 meters	6.74 meters	131.70 meters	6.10 meters
378.29	Bridge E-117, Division Street	131.06 meters	5.38 meters	131.70 meters	4.74 meters
378.65	Bridge E-118, Maple Avenue/CR 210	131.06 meters	5.47 meters	131.70 meters	4.82 meters
379.81	Bridge E-118A, Utility (Lock E29)	131.06 meters	5.36 meters	131.70 meters	4.72 meters
380.67	Bridge E-119, Walworth Road/CR 208	135.94 meters	4.95 meters	136.12 meters	4.77 meters
383.57	Bridge E-120, O'Neil Road/Quaker Road	135.94 meters	4.93 meters	136.12 meters	4.75 meters
383.97	Bridge E-120A, Pipeline	135.94 meters	6.40 meters	136.12 meters	6.22 meters
384.52	Bridge E-121, Ontario Center Road/SR 31F	135.94 meters	6.28 meters	136.12 meters	6.10 meters
384.67	Bridge E-121A, Utility (Lock E30)	140.94 meters	6.71 meters	140.97 meters	6.40 meters
386.21	Bridge E-122, Canandaigua Road	140.94 meters	4.93 meters	140.97 meters	4.90 meters
389.57	Bridge E-123, Wayneport Road/CR 206	140.94 meters	4.76 meters	140.97 meters	4.73 meters
393.21	Bridge E-124, Lyndon Road/CR 44	140.94 meters	6.19 meters	141.12 meters	6.00 meters
395.67	Bridge E125A, Pedestrian	140.94 meters	5.27 meters	141.12 meters	5.09 meters
396.08	Bridge E-126, Turk Hill Road/SR 31F	140.94 meters	4.91 meters	141.12 meters	4.72 meters
396.74	Bridge E-127, Parker Street	140.94 meters	4.91 meters	141.12 meters	4.72 meters
396.98	Bridge E-128, Lift Bridge, Main Street/SR 250	140.94 meters	4.99 meters	141.12 meters	4.80 meters
398.49	Bridge E-129, W Church Street/SR 31F	140.94 meters	4.91 meters	141.12 meters	4.72 meters
400.92	Bridge E-130, Aryault Road/CR 21	140.94 meters	5.05 meters	141.12 meters	4.87 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
401.24	Bridge E-130A Water Pipeline	140.94 meters	5.25 meters	141.12 meters	5.07 meters
401.48	Bridge E-131, Palmyra Road/SR 31	140.94 meters	4.91 meters	141.12 meters	4.72 meters
402.27	Guard Gate, Bushnell's Basin	140.94 meters	4.88 meters	141.12 meters	4.69 meters
402.80	Bridge E-131A, I-490	140.94 meters	6.14 meters	141.12 meters	5.96 meters
403.30	Bridge E-133, Marsh Road/CR 38	140.94 meters	4.92 meters	141.12 meters	4.74 meters
406.12	Guard Gate, Cartersville	140.94 meters	5.05 meters	141.12 meters	4.87 meters
406.71	Bridge E-136, Mitchell Road	140.94 meters	4.93 meters	141.12 meters	4.75 meters
407.53	Bridge E-137, State Street/SR 31	140.94 meters	4.91 meters	141.12 meters	4.72 meters
407.97	Bridge E-138, Main Street/SR 96	140.94 meters	4.91 meters	141.12 meters	4.72 meters
408.26	Bridge E-139, Railroad, CSXT	140.94 meters	4.77 meters	141.12 meters	4.59 meters
408.63	Bridge E-140, Monroe Avenue/SR 31	140.94 meters	6.43 meters	141.12 meters	6.25 meters
410.50	Bridge E-141, Clover Street/SR 65	140.94 meters	6.10 meters	141.12 meters	5.91 meters
410.51	Bridge E-141A, Utility (Lock E32)	140.94 meters	8.26 meters	141.12 meters	8.08 meters
412.57	Bridge E-142, Edgewood Avenue/CR 102	148.59 meters	5.33 meters	148.74 meters	5.18 meters
412.64	Bridge E-142A, Utility (Lock E33)	148.59 meters	7.65 meters	148.74 meters	7.50 meters
413.60	Bridge E-143, S Winton Road/CR 98	156.33 meters	6.51 meters	156.64 meters	6.20 meters
415.26	Bridge E-144, Clinton Avenue S./CR100	156.33 meters	5.05 meters	156.64 meters	4.75 meters
415.36	Bridge E-144A, Genesee Exp. Exit to I-390/I-590	156.33 meters	6.67 meters	156.64 meters	6.37 meters
415.44	Bridge E-144B, Genesee Exp./I-390 SB	156.33 meters	6.78 meters	156.64 meters	6.47 meters
416.26	Bridge E-144C, I-390/590 EB	156.33 meters	6.37 meters	156.64 meters	6.07 meters
416.31	Bridge E-144D, I-390/590 WB	156.33 meters	6.48 meters	156.64 meters	6.18 meters
416.74	Bridge E-144E, Steam Pipeline	156.33 meters	6.13 meters	156.64 meters	5.82 meters
416.76	Bridge E-145, E Henrietta Road/SR 15A	156.33 meters	6.13 meters	156.64 meters	5.82 meters
417.30	Bridge E-145B, I-390 Ramp	156.33 meters	7.30 meters	156.64 meters	7.00 meters
417.42	Bridge E-146, W Henrietta Road/SR 15	156.33 meters	7.53 meters	156.64 meters	7.22 meters
418.24	Bridge E-146A, Kendrick Road	156.33 meters	6.31 meters	156.64 meters	6.00 meters
418.35	Guard Lock, East	156.33 meters	5.18 meters	156.64 meters	4.88 meters
418.46	Bridge E-147, Pedestrian	156.33 meters	5.36 meters	156.64 meters	5.06 meters
418.49	Bridge E-148, Pedestrian	156.33 meters	5.32 meters	156.64 meters	5.02 meters
418.64	Bridge E-149, Moore Road/Main Drive	156.33 meters	5.39 meters	156.64 meters	5.09 meters
418.90	Bridge E-150, Pedestrian	156.33 meters	6.31 meters	156.64 meters	6.00 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
419.07	Bridge E-151, Pedestrian	156.33 meters	6.00 meters	156.64 meters	5.70 meters
419.31	Junction - GENESEE RIVER	156.33 meters			
419.36	Bridge E-157, Pedestrian	156.33 meters	5.52 meters	156.64 meters	5.21 meters
419.41	Bridge E-158, Abandoned Railroad	156.33 meters	5.36 meters	157.09 meters	4.60 meters
419.57	Bridge E-159, Scottsville Road/SR 383	156.33 meters	6.13 meters	157.09 meters	5.36 meters
420.07	Guard Lock, West	156.33 meters	5.24 meters	157.09 meters	4.48 meters
420.46	Bridge E-160, Abandoned Railroad	156.33 meters	9.46 meters	157.10 meters	8.70 meters
#VALUE!	Bridge E-161, Brooks Avenue/SR 204	156.34 meters	8.10 meters	157.10 meters	7.65 meters
422.03	Bridge E-161A, Pipeline	156.34 meters	5.97 meters	157.10 meters	5.52 meters
422.07	Bridge E-162, Railroad, RSR	156.34 meters	5.14 meters	156.91 meters	4.57 meters
422.08	Bridge E-162A, Pipeline	156.34 meters	6.10 meters	156.91 meters	5.53 meters
422.13	Bridge E-163, Chili Avenue/SR 33A	156.34 meters	6.86 meters	156.91 meters	6.29 meters
423.10	Bridge E-163A, Water Pipeline	156.34 meters	6.86 meters	156.91 meters	6.29 meters
423.11	Bridge E-164, Railroad, CSXT	156.34 meters	6.13 meters	156.90 meters	5.56 meters
423.13	Bridge E-164A, Gas Pipeline	156.34 meters	6.14 meters	156.90 meters	5.58 meters
423.31	Bridge E-165, Buffalo Road/SR 33	156.34 meters	8.08 meters	156.90 meters	7.52 meters
423.32	Bridge E-165D, Gas & Water Pipelines	156.34 meters	8.85 meters	156.90 meters	8.29 meters
424.13	Bridge E-165A, I-490 EB	156.34 meters	5.26 meters	156.88 meters	4.72 meters
424.19	Bridge E-165B, I-490 WB	156.34 meters	5.26 meters	156.88 meters	4.72 meters
424.98	Bridge E-165C, Water Pipeline	156.35 meters	6.09 meters	156.88 meters	5.56 meters
425.00	Bridge E-166, Lyell Avenue/SR 31	156.35 meters	6.09 meters	156.88 meters	5.56 meters
425.69	Bridge E-167, Railroad, CSXT	156.35 meters	5.29 meters	156.88 meters	4.76 meters
425.72	Bridge E-168, Abandoned Railroad	156.35 meters	5.53 meters	156.88 meters	5.00 meters
425.93	Bridge E-169, Lee Road/CR 154	156.35 meters	5.54 meters	156.88 meters	5.00 meters
426.17	Bridge E-169A, I-390 NB	156.27 meters	6.36 meters	156.80 meters	5.83 meters
426.20	Bridge E-169B, I-390 SB	156.27 meters	6.36 meters	156.80 meters	5.83 meters
427.99	Bridge E-170, Long Pond Road/CR 136	156.36 meters	6.71 meters	156.88 meters	6.18 meters
430.72	Bridge E-171, Elmgrove Road/SR 386	156.36 meters	5.18 meters	156.90 meters	4.64 meters
432.51	Bridge E-172, Manitou Road/CR 208	156.37 meters	6.65 meters	156.91 meters	6.11 meters
434.25	Bridge E-173, Gillett Road/CR 210	156.38 meters	5.17 meters	156.91 meters	4.64 meters
434.41	Guard Gate, Spencerport	156.38 meters	5.07 meters	156.91 meters	4.54 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
436.58	Bridge E-174, Lift Bridge, Union Street/SR 259	156.39 meters	5.18 meters	156.92 meters	4.65 meters
436.89	Bridge E-175, Martha Street	156.39 meters	5.17 meters	156.92 meters	4.64 meters
438.53	Bridge E-176, Trimmer Road	156.39 meters	5.18 meters	156.92 meters	4.65 meters
441.30	Bridge E-178, Lift Bridge, Washington Street/CR 212	156.43 meters	5.18 meters	156.95 meters	4.66 meters
443.02	Bridge E-179, Gallup Road/CR 244	156.44 meters	5.16 meters	156.95 meters	4.66 meters
445.24	Bridge E-180, Sweden Walker Road/SR 260	156.46 meters	5.17 meters	156.96 meters	4.67 meters
448.62	Bridge E-181, Lift Bridge, Park Avenue	156.48 meters	5.16 meters	156.97 meters	4.67 meters
448.89	Bridge E-182, Lift Bridge, Main Street/SR 19	156.48 meters	5.11 meters	156.97 meters	4.62 meters
449.34	Bridge E-183, Smith Street	156.48 meters	5.13 meters	156.97 meters	4.65 meters
450.29	Guard Gate, Brockport	156.48 meters	5.06 meters	156.97 meters	4.58 meters
451.37	Bridge E-184, Redman Road/SR 31	156.49 meters	5.17 meters	156.97 meters	4.69 meters
453.88	Bridge E-185, Brockport-Holley Road/SR 31	156.50 meters	5.19 meters	156.97 meters	4.72 meters
455.44	Bridge E-186, Bennetts Corners Road	156.50 meters	5.15 meters	156.96 meters	4.68 meters
456.22	Bridge E-187, Lift Bridge, East Avenue	156.50 meters	5.11 meters	156.96 meters	4.65 meters
457.28	Bridge E-188, N Main Street/SR 237	156.51 meters	5.11 meters	156.97 meters	4.65 meters
457.31	Guard Gate, Holley	156.51 meters	5.03 meters	156.97 meters	4.57 meters
458.66	Bridge E-189, Telegraph Road/CR 54	156.51 meters	5.13 meters	156.97 meters	4.68 meters
459.44	Bridge E-190, Groth Road	156.55 meters	5.13 meters	157.00 meters	4.68 meters
461.21	Bridge E-191, Lift Bridge, Hulberton Road/CR 24	156.56 meters	5.11 meters	157.01 meters	4.66 meters
463.31	Bridge E-192, Fancher Road/SR 387	156.57 meters	4.98 meters	156.88 meters	4.67 meters
464.54	Bridge E-193, Hindsburg Road	156.58 meters	5.08 meters	157.01 meters	4.65 meters
465.34	Bridge E-194, Transit Road/CR 64	156.58 meters	5.09 meters	157.01 meters	4.66 meters
467.00	Bridge E-195, Densmore Road/CR 11	156.59 meters	5.08 meters	157.01 meters	4.66 meters
468.13	Bridge E-196, Keitel Road	156.60 meters	5.07 meters	157.02 meters	4.66 meters
469.48	Bridge E-197, Butts Road	156.61 meters	5.07 meters	157.02 meters	4.66 meters
470.52	Bridge E-198, Brown Street	156.62 meters	5.10 meters	157.02 meters	4.69 meters
470.54	Bridge E-199, Lift Bridge, Ingersoll Street	156.63 meters	5.06 meters	157.03 meters	4.65 meters
471.78	Bridge E-200, Lift Bridge, N Main Street/SR 98	156.63 meters	5.05 meters	157.03 meters	4.65 meters
473.57	Bridge E-201, Lattins Farm Drive	156.63 meters	5.06 meters	157.02 meters	4.66 meters
473.61	Guard Gate, Albion	156.64 meters	5.07 meters	157.03 meters	4.68 meters
474.53	Bridge E-202, Gaines Basin Road/CR 88	156.64 meters	5.07 meters	157.03 meters	4.68 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
477.03	Bridge E-203, Lift Bridge, Eagle Harbor Road/CR 21	156.64 meters	5.05 meters	157.01 meters	4.68 meters
478.23	Bridge E-204, Allens Bridge Road	156.65 meters	5.07 meters	157.01 meters	4.71 meters
479.02	Bridge E-205, Presbyterian Road	156.65 meters	5.05 meters	157.01 meters	4.69 meters
481.93	Bridge E-205A, Pipeline	156.67 meters	5.73 meters	157.03 meters	5.37 meters
481.95	Bridge E-206, Lift Bridge, Knowlesville Road/CR 10	156.67 meters	5.05 meters	157.03 meters	4.69 meters
485.76	Bridge E-207 Beals Road	156.70 meters	5.03 meters	157.04 meters	4.69 meters
487.05	Bridge E-208 Bates Road	156.70 meters	5.03 meters	157.05 meters	4.68 meters
487.07	Guard Gate, Medina	156.71 meters	5.09 meters	157.06 meters	4.74 meters
488.36	Bridge E-209, Horan Road/Bank Street	156.71 meters	5.09 meters	157.06 meters	4.75 meters
489.05	Bridge E-210, Glenwood Avenue/Eagle Street	156.72 meters	5.09 meters	157.06 meters	4.75 meters
489.45	Bridge E-211, Lift Bridge, Prospect Avenue/SR 63	156.72 meters	5.05 meters	157.06 meters	4.71 meters
491.86	Bridge E-212, Marshall Road	156.74 meters	5.02 meters	157.06 meters	4.70 meters
494.62	Guard Gate, Middleport	156.78 meters	4.97 meters	156.78 meters	4.97 meters
497.08	Bridge E-216, Lift Bridge, Main Street/SR 271	156.78 meters	5.08 meters	156.78 meters	5.08 meters
498.24	Bridge E-217, S Carmen Road/CR 139	156.79 meters	5.05 meters	156.79 meters	5.05 meters
502.98	Bridge E-220, Slayton Settlement Road	156.83 meters	5.11 meters	156.83 meters	5.11 meters
504.93	Guard Gate, Gasport	156.85 meters	5.07 meters	156.85 meters	5.07 meters
505.58	Bridge E-222, Lift Bridge, Hartland Road/CR 108	156.85 meters	5.07 meters	156.85 meters	5.07 meters
507.28	Bridge E-223, Orangeport Road	156.86 meters	5.08 meters	156.86 meters	5.08 meters
510.40	Bridge E-224, N Canal Road/CR 77	156.89 meters	5.07 meters	156.89 meters	5.07 meters
511.80	Bridge E-225, Day Road	156.90 meters	5.07 meters	156.90 meters	5.07 meters
513.25	Bridge E-226, Cold Springs Road	156.91 meters	5.07 meters	156.91 meters	5.07 meters
514.19	Bridge E-228, Lake Avenue/Murphy Way	156.93 meters	5.06 meters	156.93 meters	5.06 meters
514.86	Bridge E-229, Lift Bridge, N Adams Street	156.93 meters	5.08 meters	156.93 meters	5.08 meters
515.17	Bridge E-230, Lift Bridge, Exchange Street/Mill Street	156.93 meters	5.08 meters	156.93 meters	5.08 meters
515.68	Bridge E-231, Railroad, FRR	156.93 meters	14.63 meters	156.93 meters	14.63 meters
516.07	Bridge E-232, Pine Street	164.44 meters	13.57 meters	164.44 meters	13.57 meters
516.31	Bridge E-233, Main Street	171.91 meters	6.46 meters	173.74 meters	4.63 meters
516.55	Bridge E-234, Transit Street/SR 78 & 31	171.91 meters	7.83 meters	173.74 meters	6.00 meters
517.00	Bridge E-235, Stevens Street	171.92 meters	8.21 meters	173.74 meters	6.40 meters
518.29	Bridge E-235A, Water Pipeline	171.92 meters	8.21 meters	173.74 meters	6.40 meters

ERIE CANAL

ERIE CANAL BRIDGES AND CLEARANCES (WESTERN HALF) (Kilometers)

(KM) Mile Marker	Bridge ID	* Normal Pool Level	Normal Pool Vertical Clearance	Maximum Pool Level	Maximum Pool Vertical Clearance
518.47	Bridge E-236A, Lockport Bypass/SR 93	171.96 meters	6.68 meters	173.74 meters	4.90 meters
521.09	Bridge E-237, Robinson Road/CR 123	172.02 meters	7.81 meters	173.74 meters	6.10 meters
523.18	Guard Gate, Pendleton	172.02 meters	6.28 meters	173.74 meters	4.57 meters
523.54	Bridge E-238A, Fiegle Road/CR 121	172.02 meters	7.62 meters	173.74 meters	5.91 meters
526.80	Bridge E-240, Tonawanda Creek Road/CR 60	172.11 meters	7.72 meters	173.74 meters	6.10 meters
531.02	Bridge E-241A, Campbell Blvd/SR 270	172.17 meters	7.66 meters	173.74 meters	6.10 meters
533.40	Bridge E-242, Bear Ridge Road/CR 96	172.21 meters	7.62 meters	173.74 meters	6.10 meters
536.91	Bridge E-242A, Niagara Falls Blvd/US 62	172.26 meters	6.80 meters	173.74 meters	5.32 meters
539.07	Bridge E-243A, E Robinson Street	172.28 meters	7.32 meters	173.74 meters	5.86 meters
543.23	Bridge E-244A, SR 425 NB	172.28 meters	6.10 meters	173.74 meters	4.64 meters
543.27	Bridge E-244B, SR 425 SB	172.28 meters	6.10 meters	173.74 meters	4.64 meters
544.18	Bridge E-246, Railroad, CSXT	172.36 meters	6.11 meters	173.74 meters	4.74 meters
544.46	Bridge E-247, Delaware Street/SR 384	172.36 meters	5.86 meters	173.74 meters	4.48 meters
544.60	Junction - ELLICOTT CREEK				
544.67	Bridge E-248, Webster Street	172.36 meters	6.10 meters	173.74 meters	4.72 meters
544.83	Bridge E-249, Seymore Street/SR 265	172.36 meters	7.32 meters	173.74 meters	5.94 meters

* Normal pool level is the water level typically maintained for that canal segment.

The **RED BOLDED** Numerals indicate the minimum clearances encountered for this canal segment.