

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
0.41	0.36	E-1	Peebles Island Road	Fixed	16.33	25' 10.68"	22.00	20' 2.64"	0.16	0.14
0.57	0.50	E-2	4th Street	Fixed	16.33	25' 8.04"	22.00	20' 0"	0.03	0.03
0.60	0.52	E-2A	Catwalk (Lock E2)	Catwalk	16.33	33' 6.6"	22.00	27' 10.56"	0.24	0.21
0.84	0.73	E-3	SR 32	Fixed	48.75	21' 9.36"	50.50	20' 0.36"	0.13	0.11
0.97	0.84	E-4	Canadian Pacific Railroad	Fixed	48.75	21' 9"	50.50	20' 0"	0.08	0.07
1.05	0.91	E-4A	Catwalk (Lock E3)	Catwalk	48.75	34' 6"	50.50	32' 9"	0.52	0.45
1.57	1.36	E-4B	Catwalk (Lock E4)	Catwalk	83.25	34' 6"	83.25	34' 6"	0.27	0.23
1.84	1.60	E-4C	Catwalk (Lock E5)	Catwalk	117.75	33' 3"	117.75	33' 3"	0.28	0.24
2.12	1.84	E-4D	Catwalk (Lock E6)	Catwalk	151.00	33' 0"	151.00	33' 0"	0.4	0.35
2.52	2.19	GG-1	Guard Gate 1 (Waterford)	Guard Gate	184.00	24' 1.2"	187.50	20' 7.2"	0.25	0.22
2.77	2.41	GG-2	Guard Gate 2 (Waterford)	Guard Gate	184.00	24' 1.2"	187.50	20' 7.2"	0.01	0.01
2.78	2.42	E-5	Flight Lock Road	Fixed	184.00	24' 3.6"	187.50	20' 9.6"	1.77	1.54
4.55	3.95	E-6	SR 9	Fixed	184.00	24' 2.28"	187.75	20' 5.28"	2.66	2.31
7.21	6.27	E-7A	I-87	Fixed	184.00	30' 3.24"	188.07	26' 2.4"	5.82	5.06
13.03	11.32	E-7B	Catwalk (Lock E7)	Catwalk	184.00	27' 0"	188.07	22' 11.16"	4.22	3.67
17.25	14.99	E-8	SR 146	Fixed	211.00	25' 2.16"	215.30	20' 10.56"	2.55	2.22
19.80	17.21	E-10	Canadian Pacific Railroad	Fixed	211.00	26' 8.4"	215.30	22' 4.8"	0.32	0.28
20.12	17.48	E-11	Freemans Bridge Road	Fixed	211.00	25' 4.8"	215.30	21' 1.2"	0.87	0.76
20.99	18.24	E-12	CSX Railroad	Fixed	211.00	24' 3.6"	215.30	20' 0"	0.62	0.54
21.61	18.78	E-13	SR 5	Fixed	211.00	27' 0"	215.30	22' 8.4"	2.43	2.11
24.04	20.89	E-14	Catwalk (Lock E8)	Catwalk	225.00	23' 9.72"	227.50	21' 3.72"	1.69	1.47
25.73	22.36	E-14A	I-890	Fixed	225.00	22' 4.44"	227.50	19' 10.44"	1.38	1.20
27.11	23.56	E-15	ST Railroad	Fixed	225.00	24' 4.8"	227.50	21' 10.8"	1.97	1.71
29.08	25.27	E-16	SR 103 (Lock E9)	Fixed	240.00	23' 2.28"	243.00	20' 2.28"	1.35	1.17
30.43	26.44	E-17	CSX Railroad	Fixed	240.00	24' 5.04"	243.50	20' 11.04"	4.59	3.99

* Normal Pool Level is the level that is typically maintained for that canal segment.

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
35.02	30.43	E-18	Catwalk (Lock E10)	Catwalk	255.00	23' 10.92"	257.00	21' 10.92"	3.04	2.64
38.06	33.07	E-19A	SR 30	Fixed	255.00	38' 3.48"	257.46	35' 9.96"	1.23	1.07
39.29	34.14	E-20	Catwalk (Lock E11)	Catwalk	267.00	23' 11.4"	269.00	21' 11.4"	4.24	3.68
43.53	37.83	E-22	Main Street (Lock E12)	Fixed	278.00	22' 0"	280.00	20' 0"	4.99	4.34
48.52	42.16	E-23	SR 30A	Fixed	278.00	23' 2.4"	281.20	20' 0"	4.58	3.98
53.10	46.14	E-23A	Utility Bridge (Lock E13)	Utilities	286.00	28' 0"	294.00	20' 0"	7.51	6.53
60.61	52.67	E-24	Church Street	Fixed	286.00	30' 0"	294.37	22' 0"	0.31	0.27
60.92	52.94	E-24B	Utility Bridge (Lock E14)	Utilities	294.00	23' 6"	297.50	20' 0"	2.95	2.56
63.87	55.50	E-25	River Street	Fixed	294.00	23' 6"	297.50	20' 0"	0.39	0.34
64.26	55.84	E-25A	Utility Bridge (Lock E15)	Utilities	302.00	24' 0"	306.00	20' 0"	5.31	4.61
69.57	60.45	E-26A	Bridge Street	Fixed	302.00	24' 10.8"	306.00	20' 10.8"	1.4	1.22
70.97	61.67		Utility Bridge (Lock E16)	Utilities	302.00	40' 0"	306.00	36' 0"	0.48	0.42
71.45	62.09	E-27	River Road	Fixed	322.50	23' 1.92"	325.50	20' 1.92"	1.08	0.94
72.53	63.03	E-28	River Road	Fixed	322.50	29' 5.16"	325.50	26' 5.16"	2.01	1.75
74.54	64.77	GG-3	Guard Gate 3 (Indian Castle)	Guard Gate	322.50	24' 0"	325.50	21' 0"	0.4	0.35
74.94	65.12	E-29	Access Road	Fixed	322.50	24' 0"	326.50	20' 0"	3.93	3.42
78.87	68.54	E-30A	SR 169	Fixed	322.50	32' 4.68"	326.50	28' 4.68"	0.14	0.12
79.01	68.66		Utility Bridge (Lock E17)	Utilities	363.00	24' 0"	366.00	21' 0"	0.73	0.63
79.74	69.29	E-32A	SR 167	Fixed	363.00	23' 0"	366.00	20' 0"	0.1	0.09
79.84	69.38	GG-4	Guard Gate 4 (Little Falls)	Guard Gate	363.00	25' 0"	366.00	22' 0"	3.3	2.87
83.14	72.25		Utility Bridge (Lock 18)	Utilities	363.00	29' 0"	366.00	26' 0"	3.22	2.80
86.36	75.04	E-34A	South Washington Street	Fixed	384.00	21' 6"	385.50	20' 0"	0.11	0.10
86.47	75.14	E-34B	I-90	Fixed	384.00	29' 10.8"	385.50	28' 4.8"	0.73	0.63
87.20	75.77	GG-5	Guard Gate 5 (Herkimer)	Guard Gate	384.00	23' 0"	385.50	21' 6"	0.03	0.03
87.23	75.80	E-36	Mohawk Street	Fixed	384.00	21' 6"	385.50	20' 0"	1.92	1.67

* Normal Pool Level is the level that is typically maintained for that canal segment.

Erie Canal Bridges

Mile Marker					* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
89.15	77.47	E-37A	SR 51	Fixed	384.00	21' 8.4"	385.50	20' 2.4"	2.45	2.13
91.60	79.60	E-38	Railroad Street	Fixed	384.00	34' 4.8"	385.90	32' 6"	0.91	0.79
92.51	80.39	E-39	Moss Road	Fixed	384.00	21' 10.56"	385.88	20' 0"	2.41	2.09
94.92	82.48	E-40	CSX Railroad	Fixed	384.00	21' 4.44"	386.00	19' 4.44"	0.06	0.05
94.98	82.54		Utility Bridge (Lock E19)	Utilities	384.00	24' 0"	386.00	22' 0"	2.56	2.22
97.54	84.76	E-42	Dyke Road	Fixed	404.00	22' 2.4"	406.00	20' 2.4"	3	2.61
100.54	87.37	E-43	Leland Avenue	Fixed	404.00	22' 3.36"	406.00	20' 3.36"	0.36	0.31
100.90	87.68	E-44A	Genesee Street	Fixed	404.00	22' 2.4"	406.00	20' 2.4"	0.9	0.78
101.80	88.46	E-44B	I-790 Exit Ramp	Fixed	404.00	22' 2.4"	406.00	20' 2.4"	0.08	0.07
101.88	88.53	E-44C	SR 8 & SR 12 (Twin Spans)	Fixed	404.00	22' 4.8"	406.00	20' 4.8"	0.08	0.07
101.96	88.60	E-44D	SR 5 Exit Ramp	Fixed	404.00	23' 1.2"	406.00	21' 1.2"	0.48	0.42
102.44	89.02	E-46	Mohawk Adirondack Railroad	Fixed	404.00	22' 2.04"	406.00	20' 2.04"	1.96	1.70
104.40	90.72	E-47A	Mohawk Street	Fixed	404.00	22' 3.6"	406.00	20' 3.6"	0.22	0.19
104.62	90.91	E-47B	I-90	Fixed	404.00	22' 2.88"	406.00	20' 2.88"	0.64	0.56
105.26	91.47		Utility Bridge (Lock E20)	Utilities	404.00	28' 0"	406.00	26' 0"	0.37	0.32
105.63	91.79	E-48A	SR 291	Fixed	420.00	22' 6"	422.50	20' 0"	2.05	1.78
107.68	93.57	E-49	Oriskany Road	Fixed	420.00	23' 2.4"	422.50	20' 8.4"	4.12	3.58
111.80	97.15	GG-6	Guard Gate 6 (Rome)	Guard Gate	420.00	22' 0"	422.50	19' 6"	1.38	1.20
113.18	98.35	E-50	Mohawk Adirondack Railroad	Fixed	420.00	22' 6"	422.50	20' 0"	0.59	0.51
113.77	98.86	E-50A	SR 49	Fixed	420.00	39' 1.2"	422.50	36' 7.2"	0.03	0.03
113.80	98.89	E-50B	SR 365	Fixed	420.00	39' 1.2"	422.50	36' 7.2"	0.99	0.86
114.79	99.75	E-51	Mill Street	Fixed	420.00	23' 4.8"	422.50	20' 10.8"	0.26	0.23
115.05	99.98	GG-7	Guard Gate 7 (Rome)	Guard Gate	420.00	22' 0"	422.50	19' 6"	0.03	0.03
115.08	100.00	E-52A	Erie Blvd. & SR 69	Fixed	420.00	33' 9"	422.50	31' 3"	0.66	0.57
115.74	100.58	E-55	South James Street	Fixed	420.00	24' 3"	422.50	21' 9"	4.11	3.57

* Normal Pool Level is the level that is typically maintained for that canal segment.

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
119.85	104.15	E-57	Stoney Creek Road	Fixed	420.00	22' 7.2"	422.50	20' 1.2"	2.25	1.96
122.10	106.10	E-58A	SR 46	Fixed	420.00	24' 0.48"	422.50	21' 6.48"	1.34	1.16
123.44	107.27		Catwalk (Lock E21)	Catwalk	394.00	27' 0"	397.00	24' 0"	0.01	0.01
123.45	107.28	E-59	Lock Road	Fixed	394.00	23' 2.16"	397.00	20' 2.16"	1.32	1.15
124.77	108.42		Utility Bridge (Lock E22)	Utilities	371.00	35' 0"	374.00	32' 0"	1.27	1.10
126.04	109.53	E-60	Higginsville Road	Fixed	371.00	23' 2.04"	374.00	20' 2.04"	2.15	1.87
128.19	111.39	E-61	Cove Road	Fixed	371.00	23' 0"	374.00	20' 0"	0.99	0.86
129.18	112.25	E-63	SR 13	Fixed	371.00	24' 2.64"	374.00	21' 2.64"	20.88	18.14
Oneida Lake - No Overhead Structures										
150.06	130.40	E-63A	I-81	Fixed	371.00	23' 6"	374.50	20' 0"	0.52	0.45
150.58	130.85	E-64	US 11	Fixed	371.00	23' 6"	374.20	20' 3.6"	0.14	0.12
150.72	130.97	E-65	CSX Railroad	Fixed	371.00	21' 8.64"	372.50	20' 2.64"	2.18	1.89
152.90	132.87	E-66	Caughdenoy Road	Fixed	371.00	23' 6"	375.00	19' 6"	0.7	0.61
153.60	133.47	GG-E23	Guard Gate (Lock E23)	Guard Gate	371.00	23' 2.28"	375.00	19' 2.28"	0.05	0.04
153.65	133.52	E-66A	Catwalk (Lock E23)	Catwalk	371.00	23' 10.68"	375.00	19' 10.68"	0.36	0.31
154.01	133.83	E-67	Black Creek Road	Fixed	363.90	23' 1.2"	367.00	20' 0"	2.49	2.16
156.50	135.99	E-68	Morgan Road	Fixed	363.90	22' 9.6"	366.70	20' 0"	1.81	1.57
158.31	137.57	E-69	Horseshoe Island Road	Fixed	363.90	22' 4.8"	366.65	19' 7.8"	1.09	0.95
159.40	138.51	E-69A	SR 481	Fixed (2)	363.90	22' 8.4"	366.60	20' 0"	0.92	0.80
160.32	139.31	E-70	CSX Railroad	Fixed	363.90	22' 7.68"	366.54	20' 0"	0.02	0.02
160.34	139.33	E-71	Oswego Road	Fixed	363.90	22' 7.44"	366.50	20' 0.24"	2.05	1.78
160.45	139.43		Three Rivers Junction - Oswego Canal						1.94	1.69
162.39	141.11	E-72	SR 31	Fixed	363.90	21' 3.72"	366.58	18' 7.56"	4.71	4.09
167.10	145.21	E-73	Cold Springs Road	Fixed	363.90	22' 10.44"	366.77	20' 0"	3.41	2.96
* Normal Pool Level is the level that is typically maintained for that canal segment										

Erie Canal Bridges

Mile Marker					* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)	Bridge Number			Structure	Bridge Type	Pool Height	Vertical Clearance	Pool Height	Vertical Clearance
167.18	145.28	Onondaga Lake Junction - Next Erie Canal Structure (E-77)							3.33	2.89
0.83	0.72	E-73A	John Glen Blvd.	Fixed	363.90	22' 9.6"	367.20	19' 6"	0.38	0.33
1.21	1.05	E-74	Long Branch Road	Fixed	363.90	17' 7.2"	367.20	14' 3.6"	0.07	0.06
1.28	1.11	E-74A	I-90	Fixed	363.90	20' 4.8"		17' 1.2"	4.74	4.12
Onondaga Lake - No Overhead Obstructions										
6.02	5.23	E-75	CSX Railroad	Fixed	363.90	15' 6"	367.20	12' 2.4"	0.31	0.27
6.33	5.50	E-76	Hiawatha Blvd.	Fixed	363.90	20' 8.4"	367.20	17' 4.8"	0.28	0.24
6.61	5.74	E-76A	Bear Street	Fixed	363.90	20' 9.6"	367.20	17' 6"	*****	*****
170.51	148.17	E-77	CSX Railroad	Fixed	363.90	19' 6.84"	367.20	16' 3.24"	1.85	1.61
172.36	149.78	E-78	SR 48	Fixed	363.90	18' 9.6"	367.20	15' 6"	0.06	0.05
172.42	149.83	E-78B	Utility Bridge (Lock E24)	Utilities	374.00	19' 8.16"	377.30	16' 4.56"	0.02	0.02
172.44	149.85	GG-E-24	Guard Gate (Lock E24)	Guard Gate	374.00	24' 1.2"	377.30	20' 9.6"	1.62	1.41
174.06	151.25	E-78A	SR 690	Fixed (2)	374.00	23' 3.6"	377.30	20' 0"	6.76	5.87
180.82	157.13	E-79	Plainville Road	Fixed	374.00	20' 6.84"	377.81	16' 9.12"	3.88	3.37
184.70	160.50	E-80	River Road	Fixed	374.00	25' 4.8"	377.98	21' 5.04"	1.9	1.65
186.60	162.15	E-81	Bonta Bridge Road	Fixed	374.00	19' 8.16"	378.18	15' 6"	2.27	1.97
188.87	164.12	E-83	SR 34	Fixed	374.00	25' 3.6"	378.56	20' 8.88"	3.85	3.35
192.72	167.47	E-84	O'Niel Road	Fixed	374.00	20' 7.56"	379.04	15' 7.08"	1.03	0.90
193.75	168.36	E-85	SR 38	Fixed	374.00	25' 0"	379.00	20' 0"	1.43	1.24
195.18	169.61	E-86	Howland Island Road	Fixed	374.00	20' 6.12"	379.00	15' 6.12"	1.88	1.63
197.06	171.24	E-87	CSX Railroad	Fixed	374.00	21' 2.28"	379.10	16' 1.08"	3.05	2.65
200.11	173.89	E-90	SR 31	Fixed	374.00	25' 9.6"	379.70	20' 1.2"	3.02	2.62
201.38	174.99		Cayuga - Seneca Canal Junction						1.75	1.52
203.13	176.52	E-90A	Utility Bridge (Lock E25)	Utilities	380.00	18' 5.4"	382.95	15' 6"	0.1	0.09
203.23	176.60	E-91	SR 89	Fixed	380.00	25' 6.6"	382.95	22' 7.2"	2.36	2.05
* Normal Pool Level is the level that is typically maintained for that canal segment										

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
205.59	178.65	E-92	Armitage Road	Fixed	380.00	18' 5.4"	382.95	15' 6"	3.35	2.91
208.94	181.56	E-92A	Utility Bridge (Lock E26)	Utilities	386.00	16' 0"	386.50	15' 6"	0.42	0.36
209.36	181.93	E-93	Abandoned Railroad	Fixed	386.00	16' 1.56"	386.50	15' 7.56"	1.96	1.70
211.32	183.63	E-94	SR 414	Fixed	386.00	20' 6"	386.50	20' 0"	6.44	5.60
217.76	189.23	E-96	Lyons-Marengo Road	Fixed	386.00	18' 6.96"	386.50	18' 0.96"	0.91	0.79
218.67	190.02	E-97	Abandoned Railroad	Fixed	386.00	17' 8.64"	387.94	15' 9.36"	1.27	1.10
219.94	191.12	E-99	CSX Railroad	Fixed	386.00	18' 2.4"	388.17	16' 0.36"	0.33	0.29
220.27	191.41	E-99A	SR 31	Fixed	386.00	25' 8.04"	391.67	20' 0"	0.5	0.43
220.77	191.84	E-100	SR 14	Fixed	386.00	19' 10.32"	390.36	15' 6"	0.24	0.21
221.01	192.05	E-101	Leach Road (Lock E27)	Fixed	398.50	18' 2.4"	400.70	16' 0"	0.04	0.03
221.05	192.09	E-103	Gas Pipeline	Utilities	398.50	30' 9"	400.70	28' 6.6"	1.17	1.02
222.22	193.10	E-104	Dry Dock Road	Fixed	398.50	18' 10.2"	400.70	16' 7.8"	0.05	0.04
222.27	193.15	E-104A	Utility Bridge (Lock E28A)	Utilities	418.00	16' 4.44"	418.87	15' 6"	1.43	1.24
223.70	194.39	E-105	County House Road	Fixed	418.00	16' 10.8"	418.87	16' 0.36"	0.95	0.83
224.65	195.22	E-106	CSX Railroad	Fixed	418.00	16' 4.44"	418.87	15' 6"	1.56	1.36
226.21	196.57	E-108	North Clinton Street	Fixed	418.00	16' 11.4"	418.87	16' 0.96"	0.04	0.03
226.25	196.61	E-108A	Utility Bridge (Lock E28B)	Utilities	430.00	17' 7.68"	432.00	15' 7.68"	0.13	0.11
226.38	196.72	E-109	Abandoned Railroad	Fixed	430.00	27' 11.88"	432.00	25' 11.88"	0.28	0.24
226.66	196.96	E-110	East Avenue	Fixed	430.00	18' 0"	432.00	16' 0"	0.13	0.11
226.79	197.08	E-111	Main Street	Fixed	430.00	17' 8.16"	432.00	15' 8.16"	0.67	0.58
227.46	197.66	E-112	Edgett Street	Fixed	430.00	18' 0.12"	432.00	16' 0.12"	1.06	0.92
228.52	198.58	E-113	Whitbeck Road	Fixed	430.00	17' 8.16"	432.00	15' 8.16"	1.61	1.40
230.13	199.98	E-114	Port Gibson Road	Fixed	430.00	17' 8.16"	432.00	15' 8.16"	2.41	2.09
232.54	202.07	E-115	Galloway Road	Fixed	430.00	22' 8.4"	432.10	20' 7.2"	2.02	1.76
234.56	203.83	E-116	SR 21	Fixed	430.00	22' 1.2"	432.10	20' 0"	0.5	0.43

* Normal Pool Level is the level that is typically maintained for that canal segment

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
235.06	204.26	E-117	Division Street	Fixed	430.00	17' 7.68"	432.10	15' 6.48"	0	0.00
235.06	204.26	E-118	Maple Avenue	Fixed	430.00	17' 11.16"	432.10	15' 9.96"	0.94	0.82
236.00	205.08	E-118A	Utility Bridge (Lock E29)	Utilities	430.00	17' 7.2"	432.10	15' 6"	0.54	0.47
236.54	205.55	E-119	Walworth Road	Fixed	446.00	16' 3"	446.60	15' 7.8"	1.8	1.56
238.34	207.11	E-120	O'Niel Road	Fixed	446.00	16' 2.04"	446.60	15' 6.84"	0.25	0.22
238.59	207.33	E-120A	Oil Pipeline	Utilities	446.00	21' 0"	446.60	20' 4.8"	0.34	0.30
238.93	207.62	E-121	Ontario Center Road	Fixed	446.00	20' 7.2"	446.60	20' 0"	0.09	0.08
239.02	207.70	E-121A	Utility Bridge (Lock E30)	Utilities	462.40	15' 7.2"	462.50	15' 6"	0.96	0.83
239.98	208.54	E-122	Canandaigua Road	Fixed	462.40	15' 7.2"	462.50	15' 6"	2.09	1.82
242.07	210.35	E-123	Wayneport Road	Fixed	462.40	15' 11.64"	462.50	15' 10.44"	2.26	1.96
244.33	212.32	E-124	Lyndon Road	Fixed	462.40	20' 3.6"	463.00	19' 8.4"	1.53	1.33
245.86	213.65	E-125A	Pedestrian Bridge	Fixed	462.40	17' 3.48"	463.00	16' 8.28"	0.25	0.22
246.11	213.86	E-126	SR 31F	Fixed	462.40	16' 1.2"	463.00	15' 6"	0.41	0.36
246.52	214.22	E-127	Parker Street	Fixed	462.40	16' 1.2"	463.00	15' 6"	0.15	0.13
246.67	214.35	E-128	Main Street	Lift Bridge	462.40	16' 4.32"	463.00	15' 9.12"	0.94	0.82
247.61	215.17	E-129	West Church Street	Fixed	462.40	16' 1.2"	463.00	15' 6"	1.51	1.31
249.12	216.48	E-130	Ayrault Road	Fixed	462.40	16' 6.96"	463.00	15' 11.76"	0.35	0.30
249.47	216.78	E-131	SR 31	Fixed	462.40	16' 1.2"	463.00	15' 6"	0.49	0.43
249.96	217.21	GG-BB	Guard Gate (Bushnell's Basin)	Guard Gate	462.40	16' 0"	463.00	15' 4.8"	0.33	0.29
250.29	217.50	E-131A	I-490	Fixed Bridge	462.40	20' 1.8"	463.00	19' 6.6"	0.31	0.27
250.60	217.77	E-133	Marsh Road	Fixed	462.40	16' 1.68"	463.00	15' 6.48"	1.75	1.52
252.35	219.29	GG-CV	Guard Gate (Cartersville)	Guard Gate	462.40	15' 10.68"	463.00	15' 3.48"	0.37	0.32
252.72	219.61	E-136	Mitchell Road	Fixed	462.40	16' 2.16"	463.00	15' 6.96"	0.51	0.44
253.23	220.05	E-137	SR 31	Fixed	462.40	16' 1.2"	463.00	15' 6"	0.27	0.23
253.50	220.29	E-138	Main Street	Fixed	462.40	16' 1.2"	463.00	15' 6"	0.18	0.16

* Normal Pool Level is the level that is typically maintained for that canal segment. Lift Bridge Clearances are measured in the open position.

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
253.68	220.44	E-139	CSX Railroad	Fixed	462.40	15' 11.28"	463.00	15' 4.08"	0.23	0.20
253.91	220.64	E-140	Monroe Avenue	Fixed	462.40	21' 1.2"	463.00	20' 6"	1.16	1.01
255.07	221.65	E-141	Clover Street	Fixed	462.40	20' 0"	463.00	19' 4.8"	0.01	0.01
255.08	221.66	E-141A	Utility Bridge (Lock E32)	Utilities	462.40	27' 1.2"	463.00	26' 6"	1.28	1.11
256.36	222.77	E-142	Edgewood Avenue	Fixed	487.50	17' 6"	488.00	17' 0"	0.04	0.03
256.40	222.81	E-142A	Utility Bridge (Lock E33)	Utilities	487.50	25' 1.2"	488.00	24' 7.2"	0.6	0.52
257.00	223.33	E-143	South Winton Road	Fixed	512.90	21' 4.2"	513.90	20' 4.2"	1.03	0.90
258.03	224.22	E-144	Clinton Avenue	Fixed	512.90	16' 6.96"	513.90	15' 6.96"	0.06	0.05
258.09	224.27	E-144A	I-390	Fixed	512.90	21' 10.68"	513.90	20' 10.68"	0.05	0.04
258.14	224.32	E-144B	I-390	Fixed	512.90	22' 2.76"	513.90	21' 2.76"	0.51	0.44
258.65	224.76	E-144C	I-590	Fixed	512.90	20' 10.8"	513.90	19' 10.8"	0.03	0.03
258.68	224.79	E-144D	I-390	Fixed	512.90	21' 3.12"	513.90	20' 3.12"	0.27	0.23
258.95	225.02	E-144E	Steam Pipeline	Utilities	512.90	20' 1.2"	513.90	19' 1.2"	0.01	0.01
258.96	225.03	E-145	SR 15A	Fixed	512.90	20' 1.2"	513.90	19' 1.2"	0.38	0.33
259.34	225.36	E-145A	Gas Pipeline	Utilities	512.90	33' 0"	513.90	32' 0"	0.03	0.03
259.37	225.39	E-146	SR 15	Fixed	512.90	24' 8.4"	513.90	23' 8.4"	0.51	0.44
259.88	225.83	E-146A	Kendrick Road	Fixed	512.90	20' 8.4"	513.90	19' 8.4"	0.07	0.06
259.95	225.89	GL (East)	Guard Lock East	Guard Lock	512.90	17' 0"	513.90	16' 0"	0.07	0.06
260.02	225.95	E-147	Pedestrian Bridge	Fixed	512.90	17' 7.2"	513.90	16' 7.2"	0.02	0.02
260.04	225.97	E-148	Pedestrian Bridge	Fixed	512.90	17' 5.64"	513.90	16' 5.64"	0.09	0.08
260.13	226.05	E-149	Moore Road	Fixed	512.90	17' 8.4"	513.90	16' 8.4"	0.16	0.14
260.29	226.19	E-150	Pedestrian Bridge	Fixed	512.90	20' 8.4"	513.90	19' 8.4"	0	0.00
260.29	226.19	E-151	Pedestrian Bridge	Fixed	512.90	19' 8.4"	513.90	18' 8.4"	0.26	0.23
260.55	226.41	Genesee River Junction							0.03	0.03
260.58	226.44	E-157	Pedestrian Bridge	Fixed	512.90	18' 1.2"	513.90	17' 1.2"	0.03	0.03
* Normal Pool Level is the level that is typically maintained for that canal segment.										

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
260.61	226.46	E-158	Abandoned Railroad	Fixed	512.90	17' 7.2"	515.40	15' 1.2"	0.1	0.09
260.71	226.55	E-159	SR 383	Fixed	512.90	20' 1.2"	515.40	17' 7.2"	0.31	0.27
261.02	226.82	GL (West)	Guard Lock West	Guard Lock	512.90	17' 2.4"	515.40	14' 8.4"	0.24	0.21
261.26	227.03	E-160	Abandoned Railroad	Fixed	512.91	31' 0.48"	515.41	28' 6.48"	0.28	0.24
261.54	227.27	E-161	SR 204	Fixed	512.92	26' 7.08"	514.41	25' 1.2"	0.7	0.61
262.24	227.88	E-161A	Pipeline (Buckeye)	Utilities	512.92	19' 7.08"	514.41	18' 1.2"	0.02	0.02
262.26	227.90	E-162	Rochester & Southern Railroad	Fixed	512.92	16' 10.44"	514.79	15' 0"	0.01	0.01
262.27	227.91	E-162A	Pipeline (Buckeye)	Utilities	512.92	20' 0"	514.79	18' 1.56"	0.03	0.03
262.30	227.93	E-163	SR 33A	Fixed	512.92	22' 6"	514.79	20' 7.56"	0.6	0.52
262.90	228.45	E-163A	Water Pipeline	Utilities	512.92	22' 6"	514.79	20' 7.56"	0.01	0.01
262.91	228.46	E-164	CSX Railroad	Fixed	512.93	20' 1.2"	514.78	18' 3"	0.01	0.01
262.92	228.47	E-164A	Gas Pipeline	Utilities	512.93	20' 1.8"	514.76	18' 3.84"	0.11	0.10
263.03	228.57	E-165	SR 33	Fixed	512.93	26' 6"	514.76	24' 8.04"	0.01	0.01
263.04	228.58	E-165D	Gas & Water Pipelines	Utilities	512.93	29' 0.48"	514.76	27' 2.52"	0.5	0.43
263.54	229.01	E-165A	I-490	Fixed	512.93	17' 3.12"	514.69	15' 6"	0.04	0.03
263.58	229.04	E-165B	I-490	Fixed	512.93	17' 3.12"	514.69	15' 6"	0.49	0.43
264.07	229.47	E-165C	Water Pipeline	Utilities	512.95	19' 11.76"	514.69	18' 2.88"	0.01	0.01
264.08	229.48	E-166	Lyell Avenue	Fixed	512.95	19' 11.76"	514.69	18' 2.88"	0.43	0.37
264.51	229.85	E-167	CSX Railroad	Fixed	512.95	17' 4.44"	514.70	15' 7.44"	0.02	0.02
264.53	229.87	E-168	Abandoned Railroad	Fixed	512.96	18' 1.8"	514.71	16' 4.8"	0.13	0.11
264.66	229.98	E-169	Lee Road	Fixed	512.96	18' 1.92"	514.71	16' 4.92"	0.15	0.13
264.81	230.11	E-169A	I-390	Fixed	512.70	20' 10.44"	514.45	19' 1.44"	0.02	0.02
264.83	230.13	E-169B	I-390	Fixed	512.70	20' 10.44"	514.45	19' 1.44"	1.11	0.96
265.94	231.10	E-170	Long Pond Road	Fixed	512.98	22' 0"	514.71	20' 3.24"	1.70	1.48
267.64	232.57	E-171	SR 386	Fixed	512.98	16' 11.76"	514.75	15' 2.52"	1.11	0.96

* Normal Pool Level is the level that is typically maintained for that canal segment

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
268.75	233.54	E-172	Manitou Road	Fixed	513.03	21' 9.84"	514.79	20' 0.72"	1.18	1.03
269.93	234.56	E-173	Gillett Road	Fixed	513.06	16' 11.64"	514.81	15' 2.64"	0	0.00
269.93	234.56	GG-SP	Guard Gate Spencerport	Guard Gate	513.06	16' 7.8"	514.81	14' 10.8"	1.35	1.17
271.28	235.74	E-174	SR 259	Lift Bridge	513.08	17' 0.12"	514.82	15' 3.24"	0.19	0.17
271.47	235.90	E-175	Martha Street	Fixed	513.09	16' 11.64"	514.83	15' 2.76"	1.02	0.89
272.49	236.79	E-176	Trimmer Road	Fixed	513.10	16' 11.76"	514.82	15' 3.12"	1.72	1.49
274.21	238.28	E-178	Washington Street	Lift Bridge	513.23	16' 11.76"	514.93	15' 3.36"	1.07	0.93
275.28	239.21	E-179	Gallup Road	Fixed	513.27	16' 11.28"	514.93	15' 3.36"	1.38	1.20
276.66	240.41	E-180	SR 260	Fixed	513.31	16' 11.4"	514.95	15' 3.72"	2.1	1.82
278.76	242.24	E-181	Park Avenue	Lift Bridge	513.37	16' 11.04"	514.98	15' 3.72"	0.17	0.15
278.93	242.38	E-182	SR 19	Lift Bridge	513.38	16' 9"	514.98	15' 1.8"	0.28	0.24
279.21	242.63	E-183	Smith Street	Fixed	513.39	16' 10.08"	514.98	15' 3"	0.59	0.51
279.80	243.14	GG-BP	Guard Gate Brockport	Guard Gate	513.39	16' 7.2"	514.98	15' 0.12"	0.67	0.58
280.47	243.72	E-184	SR 31	Fixed	513.43	16' 11.4"	515.00	15' 4.56"	1.56	1.36
282.03	245.08	E-185	West Avenue	Fixed	513.44	17' 0.48"	514.98	15' 6"	0.97	0.84
283.00	245.92	E-186	Bennetts Corners Road	Fixed	513.44	16' 10.68"	514.96	15' 4.44"	0.48	0.42
283.48	246.34	E-187	East Avenue	Lift Bridge	513.45	16' 9.12"	514.95	15' 3.12"	0.66	0.57
284.14	246.91	E-188	SR 237	Fixed	513.50	16' 9.12"	515.00	15' 3.12"	0.02	0.02
284.16	246.93	GG-HY	Guard Gate Holley	Guard Gate	513.50	16' 6"	515.00	15' 0"	0.84	0.73
285.00	247.66	E-189	Telegraph Road	Fixed	513.50	16' 9.96"	514.99	15' 4.08"	0.48	0.42
285.48	248.08	E-190	Groth Road	Fixed	513.60	16' 9.84"	515.08	15' 4.08"	1.1	0.96
286.58	249.03	E-191	Hulberton Road	Lift Bridge	513.66	16' 9.12"	515.14	15' 3.36"	1.31	1.14
287.89	250.17	E-192	SR 387	Fixed	513.69	16' 4.08"	514.71	15' 3.84"	0.76	0.66
288.65	250.83	E-193	Hindsburg Road	Fixed	513.71	16' 7.92"	515.11	15' 3.12"	0.5	0.43
289.15	251.26	E-194	Transit Road	Fixed	513.72	16' 8.28"	515.12	15' 3.48"	1.03	0.90

* Normal Pool Level is the level that is typically maintained for that canal segment. Lift Bridge Clearances are measured in the open position.

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
290.18	252.16	E-195	Densmore Road	Fixed	513.76	16' 8.04"	515.14	15' 3.48"	0.7	0.61
290.88	252.77	E-196	Keitel Road	Fixed	513.79	16' 7.8"	515.15	15' 3.48"	0.84	0.73
291.72	253.50	E-197	Butts Road	Fixed	513.81	16' 7.68"	515.16	15' 3.48"	0.65	0.56
292.37	254.06	E-198	Brown Street	Fixed	513.84	16' 8.64"	515.17	15' 4.68"	0.61	0.53
292.98	254.59	E-199	Ingersoll Street	Lift Bridge	513.87	16' 7.08"	515.20	15' 3.12"	0.17	0.15
293.15	254.74	E-200	North Main Street	Lift Bridge	513.87	16' 6.84"	515.20	15' 2.88"	1.11	0.96
294.26	255.70	E-201	Lattins Farm Drive	Fixed	513.87	16' 7.08"	515.16	15' 3.6"	0.03	0.03
294.29	255.73	GG-AB	Guard Gate Albion	Guard Gate	513.90	16' 7.8"	515.20	15' 4.2"	0.57	0.50
294.86	256.23	E-202	Gaines Basin Road	Fixed	513.90	16' 7.8"	515.20	15' 4.2"	1.55	1.35
296.41	257.57	E-203	Eagle Harbor Road	Lift Bridge	513.92	16' 6.96"	515.13	15' 4.44"	0.75	0.65
297.16	258.22	E-204	Allens Bridge Road	Fixed	513.93	16' 7.68"	515.13	15' 5.28"	0.49	0.43
297.65	258.65	E-205	Presbyterian Road	Fixed	513.95	16' 6.84"	515.14	15' 4.56"	1.81	1.57
299.46	260.22	E-205A	Pipeline	Utilities	514.01	18' 9.48"	515.18	17' 7.44"	0.01	0.01
299.47	260.23	E-206	Knowlesville Road	Lift Bridge	514.01	16' 6.84"	515.18	15' 4.8"	2.37	2.06
301.84	262.29	E-207	Beals Road	Fixed	514.10	16' 6.12"	515.23	15' 4.56"	0.8	0.70
302.64	262.99	E-208	Bates Road	Fixed	514.12	16' 6"	515.27	15' 4.2"	0.01	0.01
302.65	263.00	GG-MD	Guard Gate Medina	Guard Gate	514.15	16' 8.4"	515.29	15' 6.72"	0.8	0.70
303.45	263.69	E-209	Bank Street	Fixed	514.15	16' 8.52"	515.29	15' 6.84"	0.43	0.37
303.88	264.06	E-210	Glenwood Avenue	Fixed	514.16	16' 8.4"	515.28	15' 6.96"	0.25	0.22
304.13	264.28	E-211	Prospect Avenue	Lift Bridge	514.17	16' 6.72"	515.29	15' 5.28"	1.5	1.30
305.63	265.59	E-212	Marshall Road	Fixed	514.23	16' 5.76"	515.28	15' 5.16"	1.71	1.49
307.34	267.07	GG-MP	Guard Gate Middleport	Guard Gate	514.37	16' 3.6"	514.37	16' 3.6"	1.53	1.33
308.87	268.40	E-216	SR 271	Lift Bridge	514.37	16' 8.16"	514.37	16' 8.16"	0.72	0.63
309.59	269.03	E-217	South Carmen Road	Fixed	514.40	16' 6.72"	514.40	16' 6.72"	0.81	0.70
310.40	269.73	E-218	Peet Street	Fixed	514.43	16' 6.72"	514.43	16' 6.72"	1.55	1.35

* Normal Pool Level is the level that is typically maintained for that canal segment. Lift Bridge Clearances are measured in the open position.

Erie Canal Bridges

Mile Marker		Bridge Number	Structure	Bridge Type	* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)				Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
311.95	271.08	E-219	Wruck Road	Fixed	514.47	16' 7.44"	514.47	16' 7.44"	0.59	0.51
312.54	271.59	E-220	Slayton Settlement Road	Fixed	514.52	16' 9.12"	514.52	16' 9.12"	1.21	1.05
313.75	272.64	GG-GP	Guard Gate Gasport	Guard Gate	514.59	16' 7.8"	514.59	16' 7.8"	0.4	0.35
314.15	272.99	E-222	Hartland Road	Lift Bridge	514.59	16' 7.8"	514.59	16' 7.8"	1.06	0.92
315.21	273.91	E-223	Orangeport Road	Fixed	514.64	16' 8.04"	514.64	16' 8.04"	1.94	1.69
317.15	275.60	E-224	North Canal Road	Fixed	514.73	16' 7.44"	514.73	16' 7.44"	0.87	0.76
318.02	276.35	E-225	Day Road	Fixed	514.77	16' 7.56"	514.77	16' 7.56"	0.9	0.78
318.92	277.13	E-226	Cold Springs Road	Fixed	514.81	16' 7.56"	514.81	16' 7.56"	0.58	0.50
319.50	277.64	E-228	Lake Avenue	Fixed	514.85	16' 7.32"	514.85	16' 7.32"	0.42	0.36
319.92	278.00	E-229	North Adams Street	Lift Bridge	514.86	16' 8.04"	514.86	16' 8.04"	0.19	0.17
320.11	278.17	E-230	Mill Street	Lift Bridge	514.86	16' 8.04"	514.86	16' 8.04"	0.32	0.28
320.43	278.45	E-231	Falls Road Railroad	Fixed	514.87	48' 0"	514.87	48' 0"	0.24	0.21
320.67	278.65	E-232	Pine Street	Fixed	539.50	44' 6.12"	539.50	44' 6.12"	0.15	0.13
320.82	278.78	E-233	Main Street	Fixed	564.00	21' 2.4"	570.00	15' 2.4"	0.15	0.13
320.97	278.92	E-234	Transit Street	Fixed	564.00	25' 8.4"	570.00	19' 8.4"	0.28	0.24
321.25	279.16	E-235	Stevens Street	Fixed	564.05	26' 11.4"	570.00	21' 0"	0.8	0.70
322.05	279.85	E-235A	Water Pipeline	Utilities	564.05	26' 11.4"	570.00	21' 0"	0.11	0.10
322.16	279.95	E-236A	SR 93	Fixed	564.17	21' 10.8"	570.00	16' 0.84"	1.63	1.42
323.79	281.37	E-237	Robinson Road	Fixed	564.38	25' 7.44"	570.00	20' 0"	1.3	1.13
325.09	282.50	GG-PT	Guard Gate Pendleton	Guard Gate	564.38	20' 7.44"	570.00	15' 0"	0	0.00
325.09	282.50	E-238A	Feigle Road	Fixed	564.38	25' 0"	570.00	19' 4.56"	2.25	1.96
327.34	284.45	E-240	Tonawanda Creek Road	Fixed	564.67	25' 3.96"	570.00	20' 0"	2.62	2.28
329.96	286.73	E-241A	SR 270	Fixed	564.87	25' 1.56"	570.00	20' 0"	1.48	1.29
331.44	288.01	E-242	Bear Ridge Road	Fixed	564.99	25' 0.12"	570.00	20' 0"	2.18	1.89
333.62	289.91	E-242A	US 62	Fixed	565.15	22' 3.84"	570.00	17' 5.64"	1.34	1.16

* Normal Pool Level is the level that is typically maintained for that canal segment. Lift Bridge Clearances are measured in the open position.

Erie Canal Bridges

Mile Marker					* Normal Pool Level		Maximum Pool Level		Distance to Next Structure	
(SM)	(NM)	Bridge Number	Structure	Bridge Type	Pool Height	Vertical Clearance	Pool Height	Vertical Clearance	(SM)	(NM)
334.96	291.07	E-243A	East Robinson Street	Fixed	565.22	24' 0"	570.00	19' 2.64"	2.59	2.25
337.55	293.32	E-244A	SR 425	Fixed	565.22	20' 0"	570.00	15' 2.64"	0.02	0.02
337.57	293.34	E-244B	SR 425	Fixed	565.22	20' 0"	570.00	15' 2.64"	0.57	0.50
338.14	293.84	E-246	CSX Railroad	Fixed	565.50	20' 0.6"	570.00	15' 6.6"	0.17	0.15
338.31	293.98	E-247	Delaware Street	Fixed	565.50	19' 2.52"	570.00	14' 8.52"	0.09	0.08
338.40	294.06	Ellicott Creek - Junction							0.04	0.03
338.44	294.10	E-248	Webster Street	Fixed	565.50	20' 0"	570.00	15' 6"	0.1	0.09
338.54	294.18	E-249	SR 265	Fixed	565.50	24' 0"	570.00	19' 6"	0.18	0.16
338.72	294.34	Niagara River - Junction							*****	*****
* Normal Pool Level is the level that is typically maintained for that canal segment										